

# **Material Safety Data Sheet**

Issuing date 30-Sep-2011	Revision Date 30-Sep-2011	Version 1	
1	. PRODUCT AND COMPANY IDENTIFICATION		
Product name	Swisher De-Rust Plus Prespotter		
Product code UN/ID No	40216-32 UN3264		
Recommended Use	Rust Remover and Brown Out Treatment		
Distributor Swisher Hygiene Inc. 4725 Piedmont Row Drive, Suite 400, Charlotte, NC 28210			
Chemical Emergency Phone Number	800-424-9300 (Chemtrec)		
Company Emergency Phone Number	800-444-4138		
2. HAZARDS IDENTIFICATION			
	Emergency Overview Contains Phosphoric Acid		
Appearance Clear Thin Liquid	Physical state liquid.	Odor Characteristic	
Potential Health Effects Acute toxicity			
Eyes	Severe Burns.		
Skin	Severe burns.		
Inhalation	Causes burns		
Ingestion	Severe burns.		
Chronic Effects	No known effect based on information supplied		
Aggravated Medical Conditions	None known.		
Environmental hazard	See Section 12 for additional Ecological Information		
3. COMPOSITION/INFORMATION ON INGREDIENTS			

This product is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight %
Ammonium bifluoride	1341-49-7	<10
Phosphoric acid	7664-38-2	<10

	4	I. FIRST AID MEAS	JRES		
Eye contact	Flush with	Flush with flowing water for 15 minutes & see physician.			
Skin contact	Wash with	Wash with soap & water for 15 minutes. See physician if irritation persists.			
Inhalation	Remove to fresh air. If breathing has stopped, apply suitable artificial respiration. Get medical help.				
Ingestion	Give milk or water to dilute material; DO NOT induce vomiting. Avoid alcohol. CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY; NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.				
Notes to physician	Treat symp	otomatically			
	5. F	IRE-FIGHTING MEA	ASURES		
Flammable Properties	Not flamma	able			
Flash point	none				
Suitable Extinguishing Media	Use water involved.	spray or fog, foam, dry cł	nemical, carbon dioxide, al	cohol foam, if product is	
Hazardous Combustion Products	Hydrogen	Chloride: Hydrogen gas i	n contact with some metals	; Formic Acid.	
Explosion Data Sensitivity to Mechanical Impact Sensitivity to Static Discharge	none none				
Specific hazards arising from the chemical	May generate hydrogen gas in contact with some metals. Use water spray to cool adjacent fire exposed containers. Product will not burn but may splatter if temperature exceeds boiling point.				
Protective Equipment and Precautions for Firefighters			Wear self-contained positi or equivalent to maintain T		
NFPA Health Haz	ard 0	Flammability 0	Stability 0	Physical and chemical hazards	
HMIS Health Haz	zard 3	Flammability 0	Physical Hazard 1	Personal protection C	
	6. ACCI	DENTAL RELEASE	MEASURES		
Personal precautions	Ensure ade	equate ventilation			
Environmental precautions	Try to prevent the material from entering drains or water courses				
Methods for Containment	Neutralize with sodium bicarbonate				
Methods for cleaning up	Mop up & flush to sewer with plenty of water. Floors may be slippery. Use care to avoid falls.				
	7. H	HANDLING AND ST	ORAGE		
Advice on safe handling	Indling KEEP OUT OF REACH OF CHILDREN DANGER Do not get in eyes, on skin or on clothing Remove and wash contaminated clothing before re-use				

### **Technical measures/Storage** conditions

Avoid all contact. Store upright in original closed container.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Guidelines** 

Review Section 3 & 4 for Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ammonium bifluoride 1341-49-7	TWA: 2.5 mg/m <sup>3</sup> F	TWA: 2.5 mg/m³ F	TWA: 2.5 mg/m <sup>3</sup> F
Phosphoric acid 7664-38-2	STEL: 3 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup> test	TWA: 1 mg/m <sup>3</sup>	IDLH: 1000 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>
Other Exposure Guidelines	Local exhaust preferred. Mech vapor or spray	anical (general) at point of mis	t acceptable. Avoid breathing
Engineering Measures	Showers Eyewash stations Ventilation systems		

Personal Protective Equipment	
Eye/Face Protection	Splash proof chemical goggles.
Skin and body protection	Gloves - acid proof Apron
<b>Respiratory protection</b>	Normal room ventilation

**Hygiene measures** 

Practice good personal hygiene. Wash after handling. Shower at end of work period.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties **Physical state** liquid Appearance **Clear Thin Liquid** Odor Characteristic Color clear **Odor Threshold** No information available **Remarks Methods** Property Values pН 2.0 No information available Melting/freezing point No information available **Freezing Point** No information available No information available **Boiling point/boiling range** 212 °F Flash Point No information available **Evaporation rate** 1.00 No information available Flammability (solid, gas) No information available Flammability Limits in Air No information available upper flammability limit lower flammability limit **Explosion Limits** upper lower Vapor pressure 17 No information available No information available Vapor density 0.62 **Specific Gravity** 1.08 No information available Water solubility Completely soluble. No information available Solubility in other solvents No information available Partition coefficient: n-octanol/water No information available

No information available
No information available
No information available

No information available No information available No information available

### **10. STABILITY AND REACTIVITY**

Stability	Stable	
Incompatible products	Strong oxidizing agents	
Conditions to Avoid	None known based on information supplied	
Hazardous Decomposition Products Hydrogen Chloride: Hydrogen gas in contact with some metals; Formic Acid.		
Hazardous Polymerization	Hazardous polymerization does not occur	

### **11. TOXICOLOGICAL INFORMATION**

### Acute toxicity

**Product Information** 

Product does not present an acute toxicity hazard based on known or supplied information.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ammonium bifluoride	130 mg/kg (Rat)		
Phosphoric acid	1530 mg/kg (Rat)	2730 mg/kg (Rabbit)	850 mg/m³ (Rat)1 h

### **Chronic toxicity**

Chemical Name	ACGIH	IARC	NTP	OSHA
Ammonium bifluoride		Group 3		

### **Target Organ Effects**

None known.

### 12. ECOLOGICAL INFORMATION

### Ecotoxicity

The environmental impact of this product has not been fully investigated

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Phosphoric acid		3 - 3.5: 96 h Gambusia affinis mg/L LC50		4.6: 12 h Daphnia magna mg/L EC50

## 13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements
Contaminated packaging	Do not re-use empty containers

Chemical Name		California Hazardous Waste Status			
Phosphoric acid		Corrosive			
	14. TRANSPORT INFORMATION				
Note		> 1 Gal: Corrosive liquid, acidic, inorganic, n.o.s., (Contains phosphoric acid), 8, UN3264, III < 1 Gal: Corrosive liquid, acidic, inorganic, n.o.s., (Contains phosphoric acid), LTD. QTY., 8, UN3264, III			
Dot Proper shipping name	< 1 Gal: Corrosive liquid, a UN3264, III	<ul> <li>&gt; 1 Gal: Corrosive liquid, acidic, inorganic, n.o.s., (Contains phosphoric acid), 8, UN3264, III</li> <li>&lt; 1 Gal: Corrosive liquid, acidic, inorganic, n.o.s., (Contains phosphoric acid), LTD. QTY., 8, UN3264, III</li> </ul>			
Hazard class UN/ID No Packing Group	8 UN3264 III				
TDG	Not regulated				
MEX	Not regulated				
	Not regulated	Not regulated			
ICAO/IATA	Not regulated	Not regulated			
IMDG / IMO	Not regulated	Not regulated			
RID	Not regulated				
ADR/RID	Not regulated				
ADN	Not regulated	Not regulated			
15. REGULATORY INFORMATION					

International Inventories	
TSCA	TSCA
DSL	Complies
NDSL	Complies
EINECS	Complies
ELINCS	-
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### **U.S. Federal Regulations**

### **SARA 313**

SARA TITLE III (EPCRA) NOTIFICATION: PHOSPHORIC ACID [Reportable under section 313 and section 6607 of the Pollution Prevention Act]

COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT (CERCLA) NOTIFICATION: PHOSPHORIC ACID, AMMONIUM HYDROGEN FLUORIDE For more information, consult 40 CFR parts 302, 355, 370, 372, and 40 CFR part 68.

SARA	311/312	Hazard	Categories
0/11//	011/012	i lucui u	outogonico

Acute Health Hazard	no
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

### Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Ammonium bifluoride	100 lb			Х
Phosphoric acid	5000 lb			Х

### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances	RQ
		RQs	
Ammonium bifluoride	100 lb		RQ 100 lb final RQ RQ 45.4 kg final
			RQ
Phosphoric acid	5000 lb		RQ 5000 lb final RQ RQ 2270 kg
			final RQ

### **U.S. State Regulations**

### California Proposition 65

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

### International Regulations

	Chemical Name	Carcinogen Status	Exposure Limits
-			

Phosphoric acid	Mexico: TWA 1 mg/m <sup>3</sup>
	Mexico: STEL 3 mg/m <sup>3</sup>

### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

Cnemical Name	NPRI
Phosphoric acid	Х

### **16. OTHER INFORMATION**

Prepared By	Swisher Hygiene Inc. 4725 Piedmont Row Drive Suite 400
Issuing date	Charlotte, NC 28210 30-Sep-2011
Revision Date	30-Sep-2011
Revision Note	No information available

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

End of Material Safety Data Sheet