

# **Material Safety Data Sheet**

Issuing date 18-Oct-2011	Version 1				
1. PRODUCT AND COMPANY IDENTIFICATION					
Product name	Swisher Super Break Plus				
Product code Reference number(s)	42094-5 42094-15				
Recommended Use	Laundry Builder/Breaker				
<b>Distributor</b> Swisher Hygiene Inc. 4725 Piedmont Row Drive, Suite 400, Charlotte, NC 28210					
Chemical Emergency Phone Number	800-424-9300 (Chemtrec)				
Company Emergency Phone Number	800-444-4138				
2. HAZARDS IDENTIFICATION					
Mists & vapors a	Emergency Overview are irritating to the eyes & skin and exposure can cause severe but	irns.			
Appearance Free flowing liquid Physical state liquid. Odor Characteristic					
Potential Health Effects Acute toxicity Eyes Skin	Irritating to eyes Irritating to skin				
Inhalation Ingestion	No known effect based on information supplied Severe burns.				
Chronic Effects	No known effect based on information supplied				
Aggravated Medical Conditions	None known.				
Environmental hazard	See Section 12 for additional Ecological Information				
3. COMPOSITION/INFORMATION ON INGREDIENTS					

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight %
New Jersey Trade Secret	39210900-5247	> 5
New Jersey Trade Secret	39210900-5248	> 30

Isopropyl alcohol	67-63-0	< 2

	4. F	IRST AID MEAS	SURES		
Eye contact	Flush eyes wit	h cool water for 15-	30 minutes and get immedia	te medical attention.	
Skin contact	Wash with water for 15 minutes. See physician if irritation persists Remove and wash contaminated clothing before re-use				
Inhalation	Remove to free medical help.	Remove to fresh air. If breathing has stopped, apply suitable artificial respiration. Get medical help.			
Ingestion	If swallowed, DO NOT induce vomiting. Immediately drink a large quantity of water. Ner give anything by mouth to an unconscious person. Get medical attention immediately.				
Notes to physician	Treat symptom	natically			
	5. FIRI	E-FIGHTING ME	ASURES		
Flammable Properties	Not flammable	)			
Flash point	N/A				
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment			mstances and the	
Hazardous Combustion Products	dous Combustion Products Chlorine gas & related toxic gases				
Explosion Data Sensitivity to Mechanical Impact Sensitivity to Static Discharge	none				
Specific hazards arising from the chemical	Use NIOSH certified gas mask with canister for Chlorine. If possible, remove material to open air and flood with water.			ssible, remove material to	
Protective Equipment and Precautions for Firefighters			from irritating mists and cor espirator and protective clot		
NFPA Health Haz	ard 0 F	lammability 0	Stability 0	Physical and chemical hazards	
HMIS Health Haz	ard 0 F	lammability 0	Physical Hazard 0	Personal protection -	
	6. ACCIDE	NTAL RELEAS	E MEASURES		
Personal precautions	Ensure adequa	ate ventilation			
Environmental precautions	Try to prevent the material from entering drains or water courses				
Methods for Containment	Contain spill, dilute with water and neutralize as required. Wash away small spills with plenty of water. Spills may be slippery.				
Methods for cleaning up	Dispose of in accordance with all applicable federal, state and local regulations. Observe all labeled safeguards until container is cleaned, reconditioned or destroyed.				
	7. HAI	NDLING AND S	TORAGE		

Advice on safe handling

KEEP OUT OF REACH OF CHILDREN Do not take internally. Avoid contamination of food. For industrial use only. Do not mix with anything but water. Avoid strong oxidizing agents, acids, aluminum and other soft metals

Technical measures/Storage conditions

Store at room temperature Keep from freezing Keep container closed when not in use Use with adequate ventilation

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Exposure Guidelines**

Review Section 3 & 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup>	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>

# **Engineering Measures**

Showers Eyewash stations

Ventilation systems

#### Personal Protective Equipment Institutional Environment

Eye/Face Protection	Safety glasses are suggested when using this product in heavy use and institutional environments.
Consumer Environments	Care should be taken to avoid Eye contact.
Skin and body protection	Rubber gloves
Respiratory protection	Unnecessary in open institutional enviroment.
Hygiene measures	Practice good personal hygiene. Wash after handling.

#### Personal Protective Equipment Industrial Environment

Eye/Face Protection	Splash-proof chemical goggles or face shield.
Skin and body protection	Impervious rubber, alkali-proof protecetive gloves Impervious rubber boots & apron.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
Hygiene measures	Practice good personal hygiene. Wash after handling. Shower at end of work period Practice good personal hygiene. Wash after handling

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

Physical state	liquid		
Appearance	Free flowing liquid	Odor	Characteristic
Color	No information available	Odor Threshold	No information available
Property	Values	Remarks Methods	
pH	6.8	No information available	
Melting/freezing point		No information available	
Freezing Point		No information available	
Boiling point/boiling range	211 °F	No information available	
Flash Point		No information available	
Evaporation rate		No information available	
Flammability (solid, gas)		No information available	
Flammability Limits in Air		No information available	
upper flammability limit			
lower flammability limit			

Explosion Limits		
upper		
lower		
Vapor pressure		No information available
Vapor density		No information available
Specific Gravity	1.012	No information available
Water solubility		No information available
Solubility in other solvents		No information available
Partition coefficient: n-octanol	/water	No information available
Autoignition temperature		No information available
Decomposition temperature		No information available
Viscosity, kinematic		No information available
Viscosity, dynamic		
Explosive properties	No information available	
Oxidizing Properties	No information available	
9.2 Other information		
Softening point	No information available	
Molecular Weight	No information available	
VOC Content(%)	No information available	

No information available

No information available

# **10. STABILITY AND REACTIVITY**

Stability	Stable
Incompatible products	Strong oxidizing agents, acids, aluminum and other soft metals.
Conditions to Avoid	Extreme heat. Keep out of sunlight.
Hazardous Decomposition Product	s Chlorine gas & related toxic gases
Hazardous Polymerization	Hazardous polymerization does not occur

# 11. TOXICOLOGICAL INFORMATION

# Acute toxicity

Density VALUE

Bulk Density VALUE

**Product Information** 

Product does not present an acute toxicity hazard based on known or supplied information.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Isopropyl alcohol	4396 mg/kg (Rat)	12800 mg/kg (Rat)12870 mg/kg ( Rabbit)	72.6 mg/L (Rat)4 h

#### **Chronic toxicity**

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol		Group 1		Х
		Group 3		

**Target Organ Effects** 

None known.

# 12. ECOLOGICAL INFORMATION

# Ecotoxicity

The environmental impact of this product has not been fully investigated

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Isopropyl alcohol	1000: 72 h Desmodesmus subspicatus mg/L EC50 1000: 96 h Desmodesmus subspicatus mg/L EC50	11130: 96 h Pimephales promelas mg/L LC50 static 9640: 96 h Pimephales promelas mg/L LC50 flow-through 1400000: 96 h Lepomis macrochirus µg/L LC50		13299: 48 h Daphnia magna mg/L EC50

Chemical Name	log Pow
Isopropyl alcohol	0.05

# **13. DISPOSAL CONSIDERATIONS**

Waste Disposal Methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements
Contaminated packaging	Do not re-use empty containers

Chemical Name	California Hazardous Waste Status	
Isopropyl alcohol	Toxic Ignitable	

14. TRANSPORT INFORMATION		
Note	Compound, Cleaning Liquid, NOS	
Dot Proper shipping name	Not regulated Compound, Cleaning Liquid, NOS	
TDG	Not regulated	
MEX	Not regulated	
ICAO	Not regulated	
	Not regulated	
IMDG / IMO	Not regulated	
RID	Not regulated	
ADR/RID	Not regulated	
ADN	Not regulated	
15. REGULATORY INFORMATION		
International Inventories TSCA DSL	TSCA -	

NDSL	Complies
EINECS	-
ELINCS	-
ENCS	-
IECSC	-
KECL	-
PICCS	-
AICS	-

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

# **U.S. Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories	
Acute Health Hazard	no
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### **U.S. State Regulations**

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

## **International Regulations**

Chemical Name	Carcinogen Status	Exposure Limits
Isopropyl alcohol		Mexico: TWA 400 ppm Mexico: TWA 980
		mg/m <sup>3</sup>
		Mexico: STEL 500 ppm Mexico: STEL 1225
		mg/m <sup>3</sup>

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

Chemical Name	NPRI
Isopropyl alcohol	Х
торгоругасоног	Α

# **16. OTHER INFORMATION**

Prepared	Ву
----------	----

Issuing date

**Revision Date** 

Swisher Hygiene Inc. 4725 Piedmont Row Drive Suite 400 Charlotte, NC 28210 18-Oct-2011 18-Oct-2011 No information available

Revision Note Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

**End of Material Safety Data Sheet**