	Section I Duadwat & Ca	many Identification	
	Section I – Product & Co	× v	
Product Name		METERED AIR FRESHENER	
Effective Date	June 3, 2010		
Company Information	Cheney Brothers, Inc.		
	One Cheney Way		
	Riviera Beach, FL 33404		
Company Phone	561-845-4700		
Emergency Assistance:	800-424-9300		
International	202-483-7616		
	Section II –Hazardo	ous Ingredients	
Emergency Overview	CONTENTS UNDER PRESSURE Aerosol. Pressurized container may explode when exposed to heat or flame.		
	Harmful if in contact with eye	s. Prolonged exposure may cause chronic effects.	
OSHA Regulatory Status			
Potential Health Effects	This product is considered hazardous under 29 CFR 1910.1200 (Hazard Communication).		
Eyes	Contact may irritate or burn eyes.		
Inhalation	Intentional misuse by concentrating and inhaling the product can be harmful or fatal.		
Ingestion	Exposure by ingestion of an aerosol is unlikely. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May cause delayed lung damage.		
Target Organs	Central nervous system. Respiratory system.		
Chronic Effects	Conjunctiva. May cause central nervous system disorder, (e.g. narcosis involving a loss of coordination, weakness, fatigue, mental confusion, and blurred vision) and/or damage.		
Signs and symptoms	Corneal damage. Narcosis. Co	njunctivitis.	
	Section III –Composition/Inf	formation on Ingredients	
Components	CAS	Percent	
Acetone	67-64-1	70-80	
Propane	74-98-6	10-15	
n-Butane	106-97-8	10-15	
Non-hazardous and other compo	nents below reportable levels	2.5 - 10	
	Section IV – First	Aid Measures	
First Aid Procedures			
Eye Contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if presen		
	and easy to do. Get medical at	•	
Skin Contact	Immediately take off all contaminated clothing. Wash off with warm water and soap. Get medical attention if irritation develops or persists.		
Inhalation	Call a physician if symptoms develop or persist.		
Ingestion	Have victim rinse mouth thoroughly with water. Do not induce vomiting without medical advice. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. If ingestion of a large amount does occur, seek medical attention.		
Note to Physician	Symptoms may be delayed.		
General Advise	If you feel unwell, seek medic	al advice (show the label where possible).	
	Section V– Fire	And Explosion Data	
Flammable Properties	Containers may explode when heated. Vapor or gas may spread to distant ignition sources and flash back.		
Extinguishing Media			
Suitable Extinguishing Media	Water fog. Foam. Dry chemica	al. Carbon dioxide (CO2).	
Unsuitable Extinguishing Med	ia Do not use a solid water stream	n as it may scatter and spread fire.	
Protection of Fire Fighters			
Protective Equipment and	In the event of fire and/or explosion do not breathe fumes. Wear full protective clothing,		

ate closed spaces before ate all ignition sources in do so without risk. Spills: Wipe up with a ghly. Section VII – Hand rized container: Do no heat or other sources dequate ventilation. D t with skin. Avoid pro- 3 Aerosol ats under pressure. Do be under the influence ed with sprinklers. K Section VIII – Exposu	tainers or spilled ore entering. Ke es (no smoking, Move the cylin absorbent mate dling And Stora tot pierce or bur s of ignition. Do Do not get this m olonged exposu o not puncture, e of heat. Avoid teep out of the r	d material unless wearin eep unnecessary personn , flares, sparks, or flame der to a safe and open at erial (e.g. cloth, fleece). (age Procedures rn, even after use. Do no o not use if spray button naterial in contact with e tre. incinerate or crush. The d exposure to long period reach of children. Use ca	s in immediate area). Stop leak if rea if the leak is irreparable Clean contaminated surface t handle or store near an open is missing or defective. Use only eyes. Do not get this material in pressure in sealed containers can ds of sunlight. Keep in an area
ate closed spaces before ate all ignition sources in do so without risk. Spills: Wipe up with a ghly. Section VII – Hand rized container: Do no heat or other sources dequate ventilation. D t with skin. Avoid pro- 3 Aerosol ats under pressure. Do be under the influence ed with sprinklers. K Section VIII – Exposu	ore entering. Ke es (no smoking, Move the cylin absorbent mate dling And Stora tot pierce or bur s of ignition. Do Do not get this n olonged exposu o not puncture, e of heat. Avoid teep out of the r ure Controls, P TWA 500 ppm 1000 ppm	eep unnecessary personn , flares, sparks, or flame: der to a safe and open ar erial (e.g. cloth, fleece). (age Procedures rn, even after use. Do no o not use if spray button naterial in contact with e incinerate or crush. The d exposure to long period reach of children. Use ca Personal Protection STEL 750 ppm Not established	t handle or store near an open is missing or defective. Use only eyes. Do not get this material in pressure in sealed containers can ds of sunlight. Keep in an area ire in handling/storage. Ceiling Not established Not established
n do so without risk. Spills: Wipe up with ghly. Section VII – Hand rized container: Do no heat or other sources lequate ventilation. D t with skin. Avoid pro Aerosol ats under pressure. Do the under the influence ed with sprinklers. K ection VIII – Exposu	Move the cylin absorbent mate dling And Stors to pierce or burs of ignition. Do Do not get this m olonged exposu o not puncture, e of heat. Avoid teep out of the r ure Controls, P TWA 500 ppm 1000 ppm	der to a safe and open an erial (e.g. cloth, fleece). (age Procedures rn, even after use. Do no o not use if spray button naterial in contact with e incinerate or crush. The d exposure to long period reach of children. Use ca Personal Protection STEL 750 ppm Not established	rea if the leak is irreparable Clean contaminated surface thandle or store near an open is missing or defective. Use only eyes. Do not get this material in pressure in sealed containers can ds of sunlight. Keep in an area tre in handling/storage. Ceiling Not established Not established
ghly. Section VII – Hand rized container: Do no heat or other sources lequate ventilation. Do t with skin. Avoid pro- 3 Aerosol ats under pressure. Do the under the influence ed with sprinklers. Ko ection VIII – Exposu	dling And Stor not pierce or bur s of ignition. Do Do not get this m olonged exposu o not puncture, e of heat. Avoid teep out of the r ure Controls, P TWA 500 ppm 1000 ppm	age Procedures rn, even after use. Do not o not use if spray button naterial in contact with e incinerate or crush. The d exposure to long period reach of children. Use ca Personal Protection STEL 750 ppm Not established	t handle or store near an open is missing or defective. Use only eyes. Do not get this material in pressure in sealed containers can ds of sunlight. Keep in an area ire in handling/storage. Ceiling Not established Not established
rized container: Do no heat or other sources lequate ventilation. D t with skin. Avoid pro 3 Aerosol ats under pressure. Do be under the influence ed with sprinklers. Ko ection VIII – Exposu	not pierce or bur s of ignition. Do Do not get this m olonged exposu o not puncture, e of heat. Avoid teep out of the r ure Controls, P TWA 500 ppm 1000 ppm	rn, even after use. Do no o not use if spray button naterial in contact with e incinerate or crush. The d exposure to long period reach of children. Use ca Personal Protection STEL 750 ppm Not established	is missing or defective. Use only eyes. Do not get this material in pressure in sealed containers can ds of sunlight. Keep in an area are in handling/storage. Ceiling Not established Not established
heat or other sources dequate ventilation. D t with skin. Avoid pro Aerosol ats under pressure. Do we under the influence ed with sprinklers. K ection VIII – Exposu	s of ignition. Do Do not get this n olonged exposu o not puncture, e of heat. Avoid Geep out of the r ure Controls, P TWA 500 ppm 1000 ppm	o not use if spray button material in contact with e ire. incinerate or crush. The d exposure to long period reach of children. Use ca Personal Protection STEL 750 ppm Not established	is missing or defective. Use only eyes. Do not get this material in pressure in sealed containers can ds of sunlight. Keep in an area are in handling/storage. Ceiling Not established Not established
tts under pressure. Do be under the influence ed with sprinklers. K ection VIII – Exposu 1 6	e of heat. Avoid Leep out of the r ure Controls, P TWA 500 ppm 1000 ppm	l exposure to long period reach of children. Use ca Personal Protection STEL 750 ppm Not established	Is of sunlight. Keep in an area re in handling/storage. Ceiling Not established Not established
1 6	TWA 500 ppm 1000 ppm	STEL 750 ppm Not established	Not established Not established
1 6	500 ppm 1000 ppm	750 ppm Not established	Not established Not established
1 6	500 ppm 1000 ppm	750 ppm Not established	Not established Not established
-6	1000 ppm	Not established	Not established
'-8	1000 ppm	Not established	Not established
TWA	STEL	Ceiling	
1	1000 ppm	Not established	Not established
-6	1000 ppm	Not established	Not established
adequate ventilation	i, especially in c	confined areas.	
Wear chemical goggles.			
Not normally needed.			
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Handle in accordance with good industrial hygiene and safety practice.			
Section IX – Physica	_		sulety practice.
essed liquefied gas.			
essea inquentea gast			
T NJ/Z USUIIIAICU			
. 97 005			
V	4		
	-156°F (-I04.4°C) estimated		
(-I04.4°C) estimated			
(-I04.4°C) estimated			
P P	ol. 24 kJ/g estimated psig @70°F ly F (-I04.4°C) estimated	ol. 24 kJ/g estimated psig @70°F ly	bl. 24 kJ/g estimated psig @70°F ly F (-I04.4°C) estimated (12.8°C) estimated

	\Section X – Reactivity Data		
Chemical Stability Risk of ignition. Stable at normal conditions.			
Conditions to Avoid	Heat, flames and sparks		
Hazardous Decomposition Proc	ducts May include oxides of nitrogen		
	Section XI – Toxicological Information		
Acute Effects	Acute LD50: 25647 mg/kg estimated, Rat, Oral		
	Acute LD50: 28297 mg/kg estimated, Rat, Dermal		
	Acute LC50: 107 mg/l/4h estimated, Rat, Inhalation		
Sensitization	Not expected to be hazardous by OSHA criteria.		
Local Effects	Contact may irritate or burn eyes.		
Chronic Effects	Hazardous by OSHA criteria. Repeated absorbtin may cause disorder of central nervous system, liv kidneys and blood. Prolonged exposure may cause chronic effects.		
Neurological Effects	Hazardous by OSHA criteria.		
Mutagenicity	Not expected to be hazardous by OSHA criteria.		
Reproductive Effects	Not expected to be hazardous by OSHA criteria.		
Teratogenicity	Not expected to be hazardous by OSHA criteria.		
Epidemiology	Not expected to be hazardous by OSHA criteria		
Further information	Symptoms may be delayed.		
F 4 : 4	Section XII – Ecological Information		
Ecotoxicity	LC50 7831 mg/L estimated, Fish, 96.00 Hours.		
	ELC50 17782 mg/L estimated, Daphnia, 48.00 Hours.		
	Components of this product have been identified as having potential environmental concerns.		
	Section XIII – Disposal Considerations		
Waste Codes	D001: Waste Flammable material with a flash point <140 F		
	D018: Waste Benzene		
Disposal Instructions	Consult authorities before disposal. Contents under pressure. Do not puncture incinerate or crush. Incinerate the material under controlled conditions in an approved incinerator. If discarded, this product is considered a RCRA ignitable waste, D001. Dispose in accordance with all applicable regulations.		
	Section XIV – Transport Information		
Department of Transportation			
Basic Shipping Name			
Proper Shipping Name	Consumer commodity		
Hazard Class	ORM-D		
Subsidiary Hazard Class	None		
Additional Information			
Auditional Infol mation	156 306		
Packaging Non Bulk	156 306		
Packaging Non Bulk	156, 306		
Packaging Exceptions	156, 306		
Packaging Exceptions Packaging Bulk			
Packaging Exceptions Packaging Bulk IDMG	156, 306 None		
Packaging Exceptions Packaging Bulk IDMG Basic Shipping requiremen	156, 306 None nts		
Packaging Exceptions Packaging Bulk IDMG Basic Shipping requiremen Proper Shipping Name	156, 306 None nts AEROSOLS, flammable		
Packaging Exceptions Packaging Bulk IDMG Basic Shipping requiremen Proper Shipping Name Hazard Class	156, 306 None nts AEROSOLS, flammable 2.1		
Packaging Exceptions Packaging Bulk IDMG Basic Shipping requiremen Proper Shipping Name Hazard Class UN number	156, 306 None nts AEROSOLS, flammable		
Packaging Exceptions Packaging Bulk IDMG Basic Shipping requiremen Proper Shipping Name Hazard Class UN number Additional Information	156, 306 None nts AEROSOLS, flammable 2.1 1950		
Packaging Exceptions Packaging Bulk IDMG Basic Shipping requiremen Proper Shipping Name Hazard Class UN number Additional Information Items	156, 306 None nts AEROSOLS, flammable 2.1 1950 5F		
Packaging Exceptions Packaging Bulk IDMG Basic Shipping requiremen Proper Shipping Name Hazard Class UN number Additional Information Items Labels required	156, 306 None nts AEROSOLS, flammable 2.1 1950 5F 2.1		
Packaging Exceptions Packaging Bulk IDMG Basic Shipping requiremen Proper Shipping Name Hazard Class UN number Additional Information Items Labels required Transport category	156, 306 None nts AEROSOLS, flammable 2.1 1950 5F		
Packaging Exceptions Packaging Bulk IDMG Basic Shipping requiremen Proper Shipping Name Hazard Class UN number Additional Information Items Labels required Transport category IATA	156, 306 None nts AEROSOLS, flammable 2.1 1950 5F 2.1 2		
Packaging Exceptions Packaging Bulk IDMG Basic Shipping requiremen Proper Shipping Name Hazard Class UN number Additional Information Items Labels required Transport category IATA Basic Shipping requiremen	156, 306 None nts AEROSOLS, flammable 2.1 1950 5F 2.1 ats nts ats		
Packaging Exceptions Packaging Bulk IDMG Basic Shipping requiremen Proper Shipping Name Hazard Class UN number Additional Information Items Labels required Transport category IATA	156, 306 None nts AEROSOLS, flammable 2.1 1950 5F 2.1 2		

UN number	1950		
Section XV – Regulatory Information			
US Federal Regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.		
	All components are on the U.S. EPA TSCA Inventory List.		
Occupational Safety and Hea	Ith Administration (OSHA)		
29 CFR 1910.1200 hazar	lous Yes		
chemical			
CERCLA (Superfund) report	able quantity		
	Acetone: 5000,0000		
Superfund Amendments and	Reauthorization Act of 1986 (SARA)		
Hazard Categories	Immediate Hazard- Yes		
	Delayed Hazard-no		
	Fire Hazard- Yes		
	Pressure Hazard- Yes		
	Reactivity Hazard-No		
Section 302 Extremely			
Hazardous substance	No		

Section 311 Hazardous chemical Yes

Inventor Status		
Country(s) or Region	Inventory Name	On Inventory (Yes/No)
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of New and Existing Chemicals (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

State Regulations

U.S Pennsylvania – RTH	K (Right to Know) List		
Acetone	67-64-1	Environmental Hazard	
n-Butane	106-97-8	Present	
Propane	74-98-6	Present	
	Sec	ction XVI – Other Information	
HMIS® Ratings	Health: I Flammability: 4		
	Physical hazard: 0		
Disclaimer	information and be guidance for safe h be considered a wa designated and may	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.	
Issue Date:	12-Nov-2007		