

# **Material Safety Data Sheet**

Issuing date 17-Oct-2011 Revision Date 17-Oct-2011 Version 1

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product name Swisher Tub & Tile Kleen

Product code 41765-1 UN/ID No UN1805

Recommended Use Concentrated Grout & Tile Cleaner

Distributor

Swisher Hygiene Inc. 4725 Piedmont Row Drive,

Suite 400,

Charlotte, NC 28210

**Chemical Emergency Phone** 

Number

800-424-9300 (Chemtrec)

**Company Emergency Phone** 

Number

800-444-4138

# 2. HAZARDS IDENTIFICATION

# **Emergency Overview**

This product contains substances which at their given concentration, are considered to be hazardous to health.

Appearance Opaque Liquid Physical state liquid. Odor Sassafras

**Potential Health Effects** 

**Acute toxicity** 

Eyes Corrosive. May cause redness, pain, blurred vision, eye burns, and permanent eye

damage.

**Skin** Corrosive. May cause redness, pain, and severe skin burns.

**Inhalation** Inhalation is not an expected hazard unless misted or heated to high temperatures. Mist or

vapor inhalation can cause irritation to the nose, throat, and upper respiratory tract. Severe

exposures can lead to a chemical pneumonitis.

**Ingestion** No known effect based on information supplied

Chronic Effects No known effect based on information supplied

**Aggravated Medical Conditions** Persons with pre-existing skin disorders or eye problems or impaired respiratory function

may be more susceptible to the effects of the substance.

**Environmental hazard** See Section 12 for additional Ecological Information

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

This product is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Ī	Chemical Name	CAS-No	Weight %
	Phosphoric acid	7664-38-2	< 25

### 4. FIRST AID MEASURES

**Eye contact** Flush eyes with cool water for 15-30 minutes and get immediate medical attention.

**Skin contact** Flush with flowing water for 15 minutes. See physician if irritation persists.

**Inhalation** Remove to fresh air. If breathing has stopped, apply suitable artificial respiration. Get

medical help.

Ingestion Give milk or water to dilute material; DO NOT induce vomiting. CALL A PHYSICIAN OR

POISON CONTROL CENTER IMMEDIATELY. NEVER GIVE ANYTHING BY MOUTH TO

AN UNCONSCIOUS PERSON.

Notes to physician Treat symptomatically

### 5. FIRE-FIGHTING MEASURES

Flammable Properties Not flammable

Flash point none

surrounding environment

**Explosion Data** 

Sensitivity to Mechanical Impact Sensitivity to Static Discharge

none none

Protective Equipment and Precautions for Firefighters

Vapors are irritating. Self contained breathing apparatus (SCBA) should be worn.

NFPA Health Hazard 2 Flammability 0 Stability 0 Physical and chemical

hazards -

HMIS Health Hazard 2 Flammability 0 Physical Hazard 0 Personal protection -

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions Ensure adequate ventilation

**Environmental precautions** Try to prevent the material from entering drains or water courses

Methods for Containment Neutralize spill with soda ash, lime or caustic soda Then absorb on sand or other absorbent

Transfer contaminated absorbent, soil and other materials to containers for disposal

Methods for cleaning up

Stop spill or leak if it can be done safely. Contain spill to smallest possible area. Large spills

should be recovered for disposal.

# 7. HANDLING AND STORAGE

Advice on safe handling KEEP OUT OF REACH OF CHILDREN Empty containers may contain product residue.

All safety precautions taken when handling this product should also be taken when handling

empty drums and containers Keep container closed when not in use

\_\_\_\_\_

Revision Date 17-Oct-2011

Technical measures/Storage conditions

Store in a cool, dry area away from combustibles and reactive chemicals. Store away from sources of ignition. Do not store at temperatures above 120 ° F.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Exposure Guidelines**

Review Section 3 & 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Phosphoric acid	STEL: 3 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	IDLH: 1000 mg/m <sup>3</sup>
7664-38-2	TWA: 1 mg/m³ test		TWA: 1 mg/m <sup>3</sup>
			STEL: 3 mg/m <sup>3</sup>

Engineering Measures Showers

Eyewash stations Ventilation systems

**Personal Protective Equipment Institutional Environment** 

**Eye/Face Protection** Safety glasses are suggested when using this product in heavy use and institutional

environments.

**Consumer Environments** Care should be taken to avoid Eye contact.

**Skin and body protection** Rubber gloves

**Respiratory protection** Unnecessary in open institutional enviroment.

**Hygiene measures** Practice good personal hygiene. Wash after handling.

Personal Protective Equipment Industrial Environment

Eye/Face Protection Splash-proof chemical goggles or face shield.

**Skin and body protection**Impervious rubber, alkali-proof protective gloves Impervious rubber boots & apron. **Respiratory protection**If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene measures Practice good personal hygiene. Wash after handling. Shower at end of work period

Practice good personal hygiene. Wash after handling

# 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state liquid

AppearanceOpaque LiquidOdorSassafras

ColorOdor ThresholdNo information available

Property<br/>pHValues<br/>1.0-3Remarks Methods<br/>No information availableMelting/freezing pointNo information availableFreezing Point32Freezing point °F

reezing Point 32 Freezing point 32 (°F) DEGREES

No information available Boiling point/boiling 212 °F

No information available range Flash Point

No information available Evaporation rate < 1.0

No information available Flammability (solid,

gas)

No information available Flammability Limits in

Air

No information available **upper flammability** 

limit

Revision Date 17-Oct-2011

41765-1 - Swisher Tub & Tile Kleen

lower flammability

limit

**Explosion Limits** 

upper lower

Vapor pressure Vapor density

Specific Gravity

Water solubility completely soluble

1.175-0.02

Solubility in other

solvents

No information available Partition coefficient: n-octanol/water

No information available

No information available

Autoignition
temperature

No information available Decomposition temperature

No information available

Viscosity, kinematic

Viscosity, dynamic

Explosive properties No information available Oxidizing Properties No information available

9.2 Other information

Same as water

Same as water

No information available

No information available

Softening pointNo information availableMolecular WeightMixture/Mélange/MezclaVOC Content(%)No information availableDensity VALUENo information availableBulk Density VALUENo information available

# 10. STABILITY AND REACTIVITY

Stability Stable

**Incompatible products** Oxidizers; Do not mix with bleach.

Conditions to Avoid None known based on information supplied

Hazardous Decomposition Products None known based on information supplied

Hazardous Polymerization Hazardous polymerization does not occur

# 11. TOXICOLOGICAL INFORMATION

# **Acute toxicity**

**Product Information** Product does not present an acute toxicity hazard based on known or supplied information.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Phosphoric acid	1530 mg/kg (Rat)	2730 mg/kg (Rabbit)	850 mg/m³ (Rat) 1 h

# **Chronic toxicity**

Target Organ Effects None known.

41765-1 - Swisher Tub & Tile Kleen Revision Date 17-Oct-2011

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

The environmental impact of this product has not been fully investigated

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Phosphoric acid		3 - 3.5: 96 h Gambusia affinis mg/L LC50		4.6: 12 h Daphnia magna mg/L EC50

# 13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40)

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements

Contaminated packaging Do not re-use empty containers

Chemical Name	California Hazardous Waste Status
Phosphoric acid	Corrosive

# 14. TRANSPORT INFORMATION

Note Phosphoric Acid Solution, 8, UN1805, PGIII

**Dot** Regulated

Proper shipping name Phosphoric Acid Solution, 8, UN1805, PGIII

Hazard class 8
UN/ID No UN1805
Packing Group III

TDG Not regulated

MEX Not regulated

ICAO Not regulated

ICAO/IATA Not regulated

IMDG / IMO Not regulated

RID Not regulated

ADR/RID Not regulated

ADN Not regulated

# 15. REGULATORY INFORMATION

**International Inventories** 

TSCA TSCA Complies NDSL Complies

EINECS Complies

ELINCS 
ENCS Complies

IECSC Complies

KECL Complies

PICCS Complies

AICS Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# **U.S. Federal Regulations**

### **SARA 313**

This product contains none of the substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

### SARA 311/312 Hazard Categories

Acute Health Hazard	no
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Phosphoric acid	5000 lb			X

# **CERCLA**

Any components listed below have been assigned a reportable quantity (RQ) by the Federal EPA. Release of the product into the environment that exceed the RQ for a particular component must be reported to the National Response Center at 1-800-424-8802. COMPONENT: Phosphoric Acid 5000 lbs

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Phosphoric acid	5000 lb	ngo	RQ 5000 lb final RQ RQ 2270 kg final RQ

### U.S. State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

# International Regulations

Chemical Name	Carcinogen Status	Exposure Limits
Phosphoric acid		Mexico: TWA 1 mg/m <sup>3</sup>
·		Mexico: STEL 3 mg/m <sup>3</sup>

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

Chemical Name	NPRI
Phosphoric acid	X

# **16. OTHER INFORMATION**

**Prepared By** Swisher Hygiene Inc.

4725 Piedmont Row Drive

Suite 400

Charlotte, NC 28210

**Issuing date** 17-Oct-2011 **Revision Date** 17-Oct-2011

Revision Note No information available

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

**End of Material Safety Data Sheet**