

# **Material Safety Data Sheet**

SVVISITEK		
Issuing date 13-Oct-2011	Revision Date 14-Oct-2011	Version 1
1	. PRODUCT AND COMPANY IDENTIFICATION	
Product name	Swisher Select All Purpose Degreaser	
Product code UN/ID No	41753-1 UN1760	
Recommended Use	Degreaser	
Distributor Swisher Hygiene Inc. 4725 Piedmont Row Drive, Suite 400, Charlotte, NC 28210		
Chemical Emergency Phone Number	800-424-9300 (Chemtrec)	
Company Emergency Phone Number	800-444-4138	
	2. HAZARDS IDENTIFICATION	
This product contains substa	<b>Emergency Overview</b> Inces which at their given concentration, are considered to be	hazardous to health.
Appearance Thin Liquid	Physical state liquid.	Odor Butyl Odor
Potential Health Effects Acute toxicity Eyes Skin Inhalation Ingestion	Irritation or burns Contact may cause irritation and dryness. Inhalation of mists can cause irritation to the nose, throat & respir Ingesting large amounts may cause tissue damage.	atory tract.
Chronic Effects	No known effect based on information supplied	
Aggravated Medical Conditions	None known.	
Environmental hazard	See Section 12 for additional Ecological Information	
3 (	COMPOSITION/INFORMATION ON INGREDIENTS	

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

This product is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight %
Glycol	107-21-1	< 5
2-Butoxyethanol	111-76-2	< 2

### 41753-1 - Swisher Select All Purpose Degreaser

Sodium hydroxide	1310-73-2	< 5
Sodium metasilicate	6834-92-0	< 5

	L	4. FIRST AID MEASU	IRES		
Eye contact	Flush with large amounts of running water for at least 15 minutes while holding upper and lower lids open. If irritation persists get medical attention immediately.				
Skin contact	Wash with	Wash with soap and water after exposure.			
Inhalation	Move to fre	Move to fresh air. Get medical attention if irritation persists.			
Ingestion		Drink large amounts of water, DO NOT INDUCE VOMITING. Consult physician immediately for additional advice and treatment			
Notes to physician	Treat symp	ptomatically			
	5. F	FIRE-FIGHTING MEA	SURES		
Flammable Properties	Not flamm	able			
Flash point	none				
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment			mstances and the	
Explosion Data Sensitivity to Mechanical Impact Sensitivity to Static Discharge	none				
Protective Equipment and Precautions for Firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear				
NFPA Health Ha	zard 1 Flammability 0 Stability 0 Physical and chemica				
HMIS Health Ha	zard 1	Flammability 0	Physical Hazard 0	Personal protection -	
6. ACCIDENTAL RELEASE MEASURES					
Personal precautions	Ensure ad	equate ventilation			
Environmental precautions	Try to prev	vent the material from ente	ring drains or water cours	es	
Methods for Containment	Transfer co	ontaminated absorbent, so	oil and other materials to c	ontainers for disposal	
Methods for cleaning up	Stop spill or leak if it can be done safely. Contain spill to smallest possible area. Large spills should be recovered for disposal.				
	7.	HANDLING AND STO	DRAGE		
Advice on safe handling	KEEP OUT OF REACH OF CHILDREN Open containers slowly to relieve any pressure Empty containers may contain product residue. All safety precautions taken when handling this product should also be taken when handling empty drums and containers Keep container closed when not in use				
Technical measures/Storage conditions	Store in a cool, dry area away from combustibles and reactive chemicals. Store away from sources of ignition. Do not store at temperatures above 120 ° F.				

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Guidelines** 

Review Section 3 & 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Butoxyethanol	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup>	IDLH: 700 ppm
111-76-2		S*	TWA: 5 ppm TWA: 24 mg/m <sup>3</sup>
Sodium hydroxide		TWA: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>
1310-73-2		_	Ceiling: 2 mg/m <sup>3</sup>
Sodium metasilicate		2mg/m <sup>3</sup>	
6834-92-0			

#### Engineering Measures

Showers Eyewash stations Ventilation systems

### Personal Protective Equipment Institutional Environment

Eye/Face Protection	Safety glasses are suggested when using this product in heavy use and institutional environments.
Consumer Environments	Care should be taken to avoid Eye contact.
Skin and body protection	Rubber gloves
Respiratory protection	Unnecessary in open institutional enviroment.
Hygiene measures	Practice good personal hygiene. Wash after handling.

### Personal Protective Equipment Industrial Environment

Splash-proof chemical goggles or face shield.
Impervious rubber, alkali-proof protecetive gloves Impervious rubber boots & apron.
If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
Practice good personal hygiene. Wash after handling. Shower at end of work period Practice good personal hygiene. Wash after handling

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Physical state	liquid		
Appearance	Thin Liquid	Odor	Butyl Odor
Color	purple	Odor Threshold	No information available
Property	Values	<b>Remarks Methods</b>	
рН	12-13	No information available	
Melting/freezing point		No information available	
Freezing Point	32	Freezing point °F (°F) DEGREES	
No information available		Boiling point/boiling range	212 °F
No information available		Flash Point	
No information available		Evaporation rate	
Same as water		Flammability (solid, gas)	
No information available		Flammability Limits in Air	
No information available		upper flammability limit	

		lower flammability limit	
		Explosion Limits	
		upper	
		lower	
		Vapor pressure	
No information available		Vapor density	
No information available		Specific Gravity	1.04
No information available		Water solubility	completely soluble
No information available		Solubility in other	
		solvents	
No information available		Partition coefficient: n-octanol/water	
No information available		Autoignition	
		temperature	
No information available		Decomposition	
		temperature	
No information available		Viscosity, kinematic	
No information available		Viscosity, dynamic	
Explosive properties	No information available		
Oxidizing Properties	No information available		
9.2 Other information			
Softening point	No information available		
Molecular Weight	No information available		
VOC Content(%)	No information available		
Density VALUE	No information available		

**10. STABILITY AND REACTIVITY** 

Stability	Stable	
Incompatible products	Strong Oxidizers and Acids	
Conditions to Avoid	Extreme Temperatures	
Hazardous Decomposition Products None known based on information supplied		
Hazardous Polymerization	Hazardous polymerization does not occur	

No information available

### **11. TOXICOLOGICAL INFORMATION**

### Acute toxicity

**Product Information** 

**Bulk Density VALUE** 

Product does not present an acute toxicity hazard based on known or supplied information.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Glycol	4000 mg/kg (Rat)	9530 µL/kg (Rabbit)	
2-Butoxyethanol	470 mg/kg (Rat)	220 mg/kg (Rabbit)2270 mg/kg ( Rat)	2.21 mg/L (Rat)4 h 450 ppm ( Rat)4 h
Sodium hydroxide		1350 mg/kg (Rabbit)	
Sodium metasilicate	600 mg/kg (Rat)		

### **Chronic toxicity**

Chemical Name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol	A3	Group 3		

**Target Organ Effects** 

None known.

### 12. ECOLOGICAL INFORMATION

### Ecotoxicity

The environmental impact of this product has not been fully investigated

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Glycol	6500 - 13000: 96 h Pseudokirchneriella subcapitata mg/L EC50	14 - 18: 96 h Oncorhynchus mykiss mL/L LC50 static 40000 - 60000: 96 h Pimephales promelas mg/L LC50 static 16000: 96 h Poecilia reticulata mg/L LC50 static 27540: 96 h Lepomis macrochirus mg/L LC50 static 40761: 96 h Oncorhynchus mykiss mg/L LC50 static 41000: 96 h Oncorhynchus mykiss mg/L LC50	EC50 = 10000 mg/L 16 h EC50 = 620 mg/L 30 min EC50 = 620.0 mg/L 30 min	46300: 48 h Daphnia magna mg/L EC50
2-Butoxyethanol		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50		1698 - 1940: 24 h Daphnia magna mg/L EC50 >1000: 48 h Daphnia magna mg/L EC50
Sodium hydroxide		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static		
Sodium metasilicate		210: 96 h Brachydanio rerio mg/L LC50 210: 96 h Brachydanio rerio mg/L LC50 semi-static		216: 96 h Daphnia magna mg/L EC50

Chemical Name	log Pow
Glycol	0
2-Butoxyethanol	0.81

### 13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements
Contaminated packaging	Do not re-use empty containers

Chemical Name	California Hazardous Waste Status
Sodium hydroxide	Toxic Corrosive

### **14. TRANSPORT INFORMATION**

Note

Corrosive Liquid N.O.S. (Contains Sodium Hydroxide & Butyl Cellosolve), 8, UN1760, PG III

Dot Proper shipping name Hazard class UN/ID No Packing Group	Regulated Corrosive Liquid N.O.S. (Contains Sodium Hydroxide & Butyl Cellosolve), 8, UN1760, PG III 8 UN1760 III
TDG	Not regulated
MEX	Not regulated
ICAO	Not regulated
	Not regulated
IMDG / IMO	Not regulated
RID	Not regulated
ADR/RID	Not regulated
ADN	Not regulated

### **15. REGULATORY INFORMATION**

International Inventories	
TSCA	TSCA
DSL	Complies
NDSL	Complies
EINECS	Complies
ELINCS	-
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### **U.S. Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

### SARA 311/312 Hazard Categories

Acute Health Hazard	no
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide	1000 lb			Х

#### CERCLA

Any components listed below have been assigned a reportable quantity (RQ) by the Federal EPA. Release of the product into the environment that exceed the RQ for a particular component must be reported to the National Response Center at 1-800-424-8802. COMPONENT: Sodium Hydroxide 1000 lbs

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Glycol	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ
Sodium hydroxide	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

### U.S. State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

### International Regulations

Chemical Name	Carcinogen Status	Exposure Limits
2-Butoxyethanol		Mexico: TWA 26 ppm Mexico: TWA 120
		mg/m <sup>3</sup>
		Mexico: STEL 75 ppm Mexico: STEL 360
		mg/m <sup>3</sup>

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

Chemical Name		NPRI	
2.	Butoxyethanol	Х	
	16. OTHER INF	ORMATION	
Prepared By	Swisher Hygiene Inc. 4725 Piedmont Row Drive Suite 400 Charlotte, NC 28210		
Issuing date	13-Oct-2011		
Revision Date	14-Oct-2011		
Revision Note	No information available		
Disclaimer			
		owledge, information and belief at the date of its publication. The	
information given is designe	ed only as a guide for safe handling, use, p	rocessing, storage, transportation, disposal and release and is not	

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

End of Material Safety Data Sheet