



Material Safety Data Sheet

Issuing date 24-Oct-2011

Revision Date 24-Oct-2011

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Swisher Stainless Steel Cleaner
Product code 41821
UN/ID No 1950
Recommended Use Metal polish

Distributor
Swisher Hygiene Inc.
4725 Piedmont Row Drive,
Suite 400,
Charlotte, NC 28210

Chemical Emergency Phone Number 800-424-9300 (Chemtrec)

Company Emergency Phone Number 800-444-4138

2. HAZARDS IDENTIFICATION

Emergency Overview Aerosol. CONTENTS UNDER PRESSURE

Appearance Compressed liquefied gas. **Physical state** Aerosol. **Odor** Solvent, Fruity

Potential Health Effects

Acute toxicity

Eyes Contact may irritate or burn eyes. Eye contact may result in corneal injury.
Skin Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.
Inhalation Intentional misuse by concentrating and inhaling the product can be harmful or fatal. Prolonged inhalation may be harmful.
Ingestion Exposure by ingestion of an aerosol is unlikely. May cause delayed lung damage. Components of the product may be absorbed into the body by ingestion.

Chronic Effects No known effect based on information supplied

Aggravated Medical Conditions None known.

Environmental hazard See Section 12 for additional Ecological Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

The product contains no substances which at their given concentration, are considered to be hazardous to health.

Chemical Name	CAS-No	Weight %
---------------	--------	----------

paraffinic, naphthenic solvent	64742-47-8	20-30
Naphtha (petroleum), hydrotreated heavy	64742-48-9	10-15
Acetone	67-64-1	10-15
Propane	74-98-6	15-20
Methyl acetate	79-20-9	8-10

4. FIRST AID MEASURES

Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Skin contact	Wash off with warm water and soap. Get medical attention if irritation develops and persists.
Inhalation	If symptoms develop move victim to fresh air. Oxygen or artificial respiration if needed. Call a physician if symptoms develop or persist.
Ingestion	If swallowed, immediately call a POISON CENTER or doctor/physician. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not induce vomiting without advice from poison control center.
Notes to physician	Treat symptomatically

5. FIRE-FIGHTING MEASURES

Flammable Properties	Heat may cause the containers to explode. Vapor or gas may spread to distant ignition sources and flash back. Runoff to sewer may cause fire or explosion hazard.			
Flash point	<156 °F <104.4 °C			
Suitable Extinguishing Media	Water Fog, Foam, CO2 or Dry Chemical.			
Explosion Data				
Sensitivity to Mechanical Impact	none			
Sensitivity to Static Discharge	none			
Specific hazards arising from the chemical	Fire may produce irritating, corrosive and/or toxic gases.			
Protective Equipment and Precautions for Firefighters	In case of fire and/or explosion do not breathe fumes. Containers should be cooled with water to prevent vapor pressure build up.			
NFPA	Health Hazard 0	Flammability 0	Stability 0	Physical and chemical hazards -
HMIS	Health Hazard 1	Flammability 4	Physical Hazard 0	Personal protection B

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Ensure adequate ventilation
Environmental precautions	Try to prevent the material from entering drains or water courses
Methods for Containment	Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Stop the flow of material, if this is without risk.

Methods for cleaning up Should not be released into the environment. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.
Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Advice on safe handling Pressurized container: Do not pierce or burn, even after use. Do not smoke while using or until sprayed surface is thoroughly dry. Use only in area provided with appropriate exhaust ventilation. Do not use if spray button is missing or defective. Do not re-use empty containers. Do not get this material in contact with skin. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid prolonged exposure.

Technical measures/Storage conditions Contents under pressure. Do not puncture, incinerate or crush. The pressure in sealed containers can increase under the influence of heat. Keep away from heat and sources of ignition. Avoid exposure to long periods of sunlight. Store in cool place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs. Level 3 Aerosol.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines Review Section 3 & 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Acetone 67-64-1	STEL: 750 ppm TWA: 500 ppm	TWA: 1000 ppm TWA: 2400 mg/m ³	IDLH: 2500 ppm TWA: 250 ppm TWA: 590 mg/m ³
Propane 74-98-6	TWA: 1000 ppm	TWA: 1000 ppm TWA: 1800 mg/m ³	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m ³
Methyl acetate 79-20-9	STEL: 250 ppm TWA: 200 ppm	TWA: 200 ppm TWA: 610 mg/m ³	IDLH: 3100 ppm TWA: 200 ppm TWA: 610 mg/m ³ STEL: 250 ppm STEL: 760 mg/m ³

Engineering Measures Showers
Eyewash stations
Ventilation systems

Personal Protective Equipment Institutional Environment

Eye/Face Protection Safety glasses are suggested when using this product in heavy use and institutional environments.

Consumer Environments Care should be taken to avoid Eye contact.

Skin and body protection Rubber gloves

Respiratory protection Unnecessary in open institutional environment.

Hygiene measures Practice good personal hygiene. Wash after handling.

Personal Protective Equipment Industrial Environment

Eye/Face Protection Splash-proof chemical goggles or face shield.

Skin and body protection Impervious rubber, alkali-proof protective gloves Impervious rubber boots & apron.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures Practice good personal hygiene. Wash after handling. Shower at end of work period
Practice good personal hygiene. Wash after handling

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state	Aerosol	Odor	Solvent Fruity
Appearance	Compressed liquefied gas.	Odor Threshold	No information available
Color	colorless		
Property	Values	Remarks	Methods
pH	NA	No information available	
Melting/freezing point		No information available	
Freezing Point		No information available	
Boiling point/boiling range	185 °C 365 °F	No information available	
Flash Point	<104.4 °C <156 °F	No information available	
Evaporation rate		No information available	
Flammability (solid, gas)		No information available	
Flammability Limits in Air		No information available	
upper flammability limit			
lower flammability limit			
Explosion Limits			
upper			
lower			
Vapor pressure	40-60 psig @ 70F	No information available	
Vapor density	0.7552 g/cm3 estimated	No information available	
Specific Gravity	0.7553	No information available	
Water solubility	negligible	No information available	
Solubility in other solvents		No information available	
Partition coefficient: n-octanol/water		No information available	
Autoignition temperature		No information available	
Decomposition temperature		No information available	
Viscosity, kinematic		No information available	
Viscosity, dynamic			
Explosive properties	No information available		
Oxidizing Properties	No information available		
9.2 Other information			
Softening point	No information available		
Molecular Weight	No information available		
VOC Content(%)	No information available		
Density VALUE	No information available		
Bulk Density VALUE	No information available		

10. STABILITY AND REACTIVITY

Stability	Material is stable under normal conditions. Risk of ignition.
Incompatible products	None known based on information supplied
Conditions to Avoid	Heat, flames and sparks
Hazardous Decomposition Products	None known based on information supplied
Hazardous Polymerization	Hazardous polymerization does not occur

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information	Product does not present an acute toxicity hazard based on known or supplied information.
----------------------------	---

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
paraffinic, naphthenic solvent	5000 mg/kg (Rat)	2000 mg/kg (Rabbit)	5.2 mg/L (Rat) 4 h
Naphtha (petroleum), hydrotreated heavy	5000 mg/kg (Rat)	3160 mg/kg (Rabbit)	
Acetone	5800 mg/kg (Rat)		
Propane			658 mg/L (Rat) 4 h
Methyl acetate	5000 mg/kg (Rat)	2000 mg/kg (Rat) 5000 mg/kg (Rabbit)	16000 ppm (Rat) 4 h

Chronic toxicity**Target Organ Effects**

None known.

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Contains a substance which causes risk of hazardous effects to the environment.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
paraffinic, naphthenic solvent		2.2: 96 h Lepomis macrochirus mg/L LC50 static 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static 45: 96 h Pimephales promelas mg/L LC50 flow-through		4720: 96 h Den-dronereides heteropoda mg/L LC50
Naphtha (petroleum), hydrotreated heavy		2200: 96 h Pimephales promelas mg/L LC50		2.6: 96 h Chaetogammarus marinus mg/L LC50
Acetone		4.74 - 6.33: 96 h Oncorhynchus mykiss mL/L LC50 6210 - 8120: 96 h Pimephales promelas mg/L LC50 static 8300: 96 h Lepomis macrochirus mg/L LC50	EC50 = 14500 mg/L 15 min	10294 - 17704: 48 h Daphnia magna mg/L EC50 Static 12600 - 12700: 48 h Daphnia magna mg/L EC50
Methyl acetate	120: 72 h Desmodesmus subspicatus mg/L EC50	250 - 350: 96 h Brachydanio rerio mg/L LC50 static 295 - 348: 96 h Pimephales promelas mg/L LC50 flow-through	EC50 = 6000 mg/L 16 h EC50 = 6100 mg/L 30 min	1026.7: 48 h Daphnia magna mg/L EC50

Chemical Name	log Pow
Acetone	0
Propane	2.3
Methyl acetate	0.18

13. DISPOSAL CONSIDERATIONS**Waste Disposal Methods**

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements

Contaminated packaging

Do not re-use empty containers

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Acetone - 67-64-1		Included in waste stream: F039		U002

Chemical Name	California Hazardous Waste Status
Acetone	Ignitable
Methyl acetate	Toxic Ignitable

14. TRANSPORT INFORMATION

Note	Consumer Commodity, ORM-D, 2.1, PG II
Dot	Not regulated
Proper shipping name	Consumer Commodity, ORM-D, 2.1, PG II
Hazard class	2.1
UN/ID No	1950
Packing Group	II
TDG	Not regulated
MEX	Not regulated
ICAO	Not regulated
ICAO/IATA	Not regulated
IMDG / IMO	Not regulated
RID	Not regulated
ADR/RID	Not regulated
ADN	Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA	TSCA
DSL	Complies
NDSL	Complies
EINECS	Complies
ELINCS	-
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	no
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Acetone	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

U.S. State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations**International Regulations**

Chemical Name	Carcinogen Status	Exposure Limits
Acetone		Mexico: TWA 1000 ppm Mexico: TWA 2400 mg/m ³ Mexico: STEL 1260 ppm Mexico: STEL 3000 mg/m ³
Methyl acetate		Mexico: TWA 200 ppm Mexico: TWA 610 mg/m ³ Mexico: STEL 250 ppm Mexico: STEL 760 mg/m ³

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION

Prepared By	Swisher Hygiene Inc. 4725 Piedmont Row Drive Suite 400 Charlotte, NC 28210
Issuing date	24-Oct-2011
Revision Date	24-Oct-2011
Revision Note	No information available
Disclaimer	

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

End of Material Safety Data Sheet