## MATERIAL SAFETY DATA SHEET



# **Rust & Tannin Stain Treatment 3**

HMIS NFPA		NFPA	Personal protective equipment	
Health		2	2	ma so some
Fire Hazard		2	2	
Reactivity		0	0	

Version Number: 2 Preparation date: 2009-11-17

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product name: Rust & Tannin Stain Treatment 3

MSDS #: MS0300191
Product Code: 3663070
Recommended use: Laundry care.

Manufacturer, importer, supplier:

US Headquarters JohnsonDiversey, Inc. 8310 16th St.

Sturtevant, Wisconsin 53177-1964

Phone: 1-888-352-2249 MSDS Internet Address: www.johnsondiversey.com

Emergency telephone number: 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l)

Canadian Headquarters JohnsonDiversey - Canada, Inc. 2401 Bristol Circle

1 of 4

Oakville, Ontario L6H 6P1 Phone: 1-800-668-3131

## 2. HAZARDS IDENTIFICATION

## EMERGENCY OVERVIEW

WARNING. CAUSES EYE AND SKIN IRRITATION. COMBUSTIBLE LIQUID AND VAPOR.

**Principle routes of exposure:** Eye contact. Skin contact. Inhalation.

**Eye contact:** Severe eye irritation. **Skin contact:** Severe skin irritation.

Inhalation:May be irritating to nose, throat, and respiratory tract.Ingestion:May cause irritation to mouth, throat and stomach.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

nazaruous ingreulents					
Ingredient(s)	CAS#	Weight %	LD50 Oral - Rat (mg/kg)	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Ammonium bifluoride	1341-49-7	0.1 - 1.5%	130	Not available	Not available
2-butoxyethanol	111-76-2	0.1 - 1.5%	470	220 mg/kg	2.21 mg/L (4 h); 450 ppm (4 h)
Oxalic acid	144-62-7	0.1 - 1.5%	375	Not available	Not available

## 4. FIRST AID MEASURES

Eye contact: Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical

attention

**Skin contact:** Flush immediately with plenty of water for at least 15 minutes. Get medical attention. If breathing is affected, remove to fresh air. Get medical attention.

Ingestion: Give a cupful of water or milk . THEN IMMEDIATELY CONTACT A PHYSICIAN OR POISON CENTER. DO

NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an

unconscious person.

**Aggravated Medical Conditions:** Persons with pre-existing skin disorders may be more susceptable to irritating effects.

## 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Use dry chemical, CO2, water spray or "alcohol" foam.

Specific hazards: Not applicable Unusual hazards: None known

Specific methods: No special methods required

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Rust & Tannin Stain Treatment 3

## 5. FIRE-FIGHTING MEASURES

Extinguishing media which must not be used for safety reasons: No information available

# **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions: Use personal protective equipment

Environmental precautions Clean-up methods - large spillage. Soak up with inert absorbent material. Sweep up and shovel into

and clean-up methods: suitable containers for disposal. Use a water rinse for final clean-up.

## 7. HANDLING AND STORAGE

#### Handling:

Avoid contact with skin, eyes and clothing. Do not taste or swallow. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. COMBUSTIBLE LIQUID AND VAPOR. Keep away from open flames, hot surfaces and sources of ignition. Use only in well-ventilated areas. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage:

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Engineering measures to reduce exposure:

No special ventilation requirements. General room ventilation is adequate.

Personal Protective Equipment

**Eye protection:** Chemical-splash goggles. **Hand protection:** Chemical-resistant gloves

**Skin and body protection:** No special protective clothing is required. No special protective clothing is required.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice

Ingredient(s)	CAS#	ACGIH	OSHA	Mexico
2-butoxyethanol	111-76-2	20 ppm (TWA)	Skin 240 mg/m³ (TWA)	75 ppm (STEL) 360 mg/m³ (STEL)
			50 ppm (TWA)	26 ppm (TWA) 120 mg/m³ (TWA)
Oxalic acid	144-62-7	2 mg/m³ (STEL)	1 mg/m³ (TWA)	2 mg/m³ (STEL)
		1 mg/m³ (TWA)	2 mg/m³ (STEL)	1 mg/m³ (TWA)

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Bulk density: No information available Dilution pH: No information available. pH: 4.0 Liquid Vapor density: No information available Appearance: Color: Clear Colorless **Evaporation Rate** No information available

Odor: Characteristic Boiling point/range: Not determined
Specific gravity: 1.01 Melting point/range: Not determined
Density: 8.42 lbs/gal Decomposition temperature: Not determined

VOC:
2.3% \*
Autoignition temperature:
No information available
Partition coefficient (n-octanol/water):
No information available
Solubility:
Solubility:
No information available
Solubility in other solvents:
No information available

Viscosity: No information available Elemental Phosphorus: 0% by wt.

Explosion limits: - lower: Not determined- upper: Not determined

# 10. STABILITY AND REACTIVITY

Stability: The product is stable

Polymerization: Hazardous polymerization does not occur

**Hazardous decomposition products:** None reasonably foreseeable.

Materials to avoid: Strong bases.

## 11. TOXICOLOGICAL INFORMATION

Acute toxicity: Oral LD50 estimated to be greater than 5000 mg/kg. Dermal LD50 estimated to be > 2000 mg/kg

Component Information: See Section 3

Chronic toxicity: Repeated exposure to low levels of fluoride through ingestion, inhalation, [or dermal absorption- if posing

a skin absorption hazard] can cause fluorosis. The primary target is the skeletal system. Effects can include osteoporosis, increased bone density, mottled tooth enamel, and calcification of ligaments.

<sup>\* -</sup> Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

# 11. TOXICOLOGICAL INFORMATION

Specific effects

 Carcinogenic effects:
 None known

 Mutagenic effects:
 None known

 Reproductive toxicity:
 None known

 Target organ effects:
 None known

<u>Hazardous ingredients</u>

Ingredient(s)	CAS#	NTP	IARC	OSHA
2-butoxyethanol	111-76-2		3	

#### 12. ECOLOGICAL INFORMATION

Environmental Information: No data available

#### 13. DISPOSAL CONSIDERATIONS

#### Waste from residues / unused products:

Dispose of according to all federal, state and local applicable regulations

# **14. TRANSPORT INFORMATION**

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

#### 15. REGULATORY INFORMATION

#### International Inventories

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

#### U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

STATE RIGHT TO KNOW

Ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
Ammonium bifluoride	1341-49-7	Χ	X	X	-
2-butoxyethanol	111-76-2	Χ	X	X	Χ
Oxalic acid	144-62-7	Χ	X	X	Χ
Alcohol ethoxylates	68131-39-5	-	-	-	-
Water	7732-18-5	-	-	-	-

**CERCLA/ SARA** 

OLIVER VAIN					
Ingredient(s)	CAS#	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Ammonium bifluoride	1341-49-7	0.1 - 1.5%	100	,	X
2-butoxvethanol	111-76-2	0.1 - 1.5%			Х

None

#### CAA HAP/CAA ODS/CWA Priority Pollutants: None

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
2-butoxyethanol	X		

# SARA 311/312 Hazard Categories

Immediate: x
Delayed: x
Fire: x
Reactivity: Sudden Release of Pressure: -

Canada

3 of 4

WHM IS hazard class: B3 Combustible liquid, D2B Toxic materials.

# **16. OTHER INFORMATION**

Reason for revision: Not applicable Prepared by: NA PRAC

# **16. OTHER INFORMATION**

# Additional advice:

Does not contain an added fragrance.

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.