



Material Safety Data Sheet

Issuing date 23-Sep-2011

Revision Date 19-Oct-2011

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Swisher Blue RTU
Product code 40113-32OZ
Recommended Use Glass and Hard Surface Cleaner

Distributor

Swisher Hygiene Inc.
4725 Piedmont Row Drive,
Suite 400,
Charlotte, NC 28210

Chemical Emergency Phone Number 800-424-9300 (Chemtrec)

Company Emergency Phone Number 800-444-4138

2. HAZARDS IDENTIFICATION

Emergency Overview

The product contains no substances which at their given concentration, are considered to be hazardous to health.

Appearance Thin Liquid **Physical state** liquid. **Odor** Pleasant

Potential Health Effects

Acute toxicity

Eyes Irritation or burns
Skin Irritation or burns
Inhalation Irritation or dizziness
Ingestion Dizziness, nausea

Chronic Effects No known effect based on information supplied

Aggravated Medical Conditions None known.

Environmental hazard See Section 12 for additional Ecological Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight %
2-Butoxyethanol	111-76-2	<3
Isopropyl alcohol	67-63-0	<2

4. FIRST AID MEASURES

Eye contact	Flush with flowing water for 15 minutes & see physician.
Skin contact	Wash with soap & water for 15 minutes. See physician if irritation persists.
Inhalation	Remove to fresh air. If breathing has stopped, apply suitable artificial respiration. Get medical help.
Ingestion	Give milk or water to dilute material; DO NOT induce vomiting. Avoid alcohol. CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY; NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.
Notes to physician	Treat symptomatically

5. FIRE-FIGHTING MEASURES

Flammable Properties	FLAMMABLE			
Flash point	160 °F			
Suitable Extinguishing Media	Water spray or fog, foam, dry chemical, carbon dioxide if product is involved.			
Hazardous Combustion Products	If burned, normal combustion products: Carbon dioxide, Carbon monoxide; Nitrous oxides.			
Explosion Data				
Sensitivity to Mechanical Impact	none			
Sensitivity to Static Discharge	none			
Specific hazards arising from the chemical	Flammable. Keep away from heat, sparks and open flame. Use water spray to cool adjacent fire exposed containers.			
Protective Equipment and Precautions for Firefighters	Avoid exposure to fumes or vapors. Wear self-contained positive pressurized breathing apparatus MSHA/NIOSH approved or equivalent to maintain TLV.			
NFPA	Health Hazard 0	Flammability 0	Stability 0	Physical and chemical hazards -
HMIS	Health Hazard 2	Flammability 3	Physical Hazard 0	Personal protection B

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Ensure adequate ventilation
Environmental precautions	Try to prevent the material from entering drains or water courses
Methods for Containment	Isolate from sources of ignition.
Methods for cleaning up	Mop up & flush to sewer with plenty of water. Floors may be slippery. Use care to avoid falls.

7. HANDLING AND STORAGE

Advice on safe handling	KEEP OUT OF REACH OF CHILDREN DANGER FLAMMABLE Do not get in eyes, on skin or on clothing Do not use or store near heat, sparks, or open flame
Technical measures/Storage conditions	Store upright in original closed container.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines Review Section 3 & 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m ³ S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³
Isopropyl alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m ³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³

Other Exposure Guidelines Local exhaust preferred. Mechanical (general) acceptable. Avoid breathing vapor or spray.

Engineering Measures
Showers
Eyewash stations
Ventilation systems

Personal Protective Equipment Institutional Environment

Eye/Face Protection Safety glasses are suggested when using this product in heavy use and institutional environments.

Consumer Environments Care should be taken to avoid Eye contact.

Skin and body protection Rubber gloves

Respiratory protection Unnecessary in open institutional environment.

Hygiene measures Practice good personal hygiene. Wash after handling.

Personal Protective Equipment Industrial Environment

Eye/Face Protection Splash-proof chemical goggles or face shield.

Skin and body protection Impervious rubber, alkali-proof protective gloves Impervious rubber boots & apron.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures Practice good personal hygiene. Wash after handling. Shower at end of work period
Practice good personal hygiene. Wash after handling

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state	liquid	Odor	Pleasant
Appearance	Thin Liquid	Odor Threshold	No information available
Color	clear blue		

<u>Property</u>	<u>Values</u>	<u>Remarks Methods</u>
pH	9.5	No information available
Melting/freezing point		No information available
Freezing Point		No information available
Boiling point/boiling range	180 °F	No information available
Flash Point	160 °F	No information available
Evaporation rate	GT 1.0	No information available
Flammability (solid, gas)		No information available
Flammability Limits in Air		No information available
upper flammability limit		
lower flammability limit		
Explosion Limits		
upper		
lower		

Vapor pressure	100	No information available
Vapor density	3	No information available
Specific Gravity	0.996	No information available
Water solubility	completely soluble	No information available
Solubility in other solvents		No information available
Partition coefficient: n-octanol/water		No information available
Autoignition temperature		No information available
Decomposition temperature		No information available
Viscosity, kinematic		No information available
Viscosity, dynamic		
Explosive properties	No information available	
Oxidizing Properties	No information available	

9.2 Other information

Softening point	No information available
Molecular Weight	No information available
VOC Content(%)	No information available
Density VALUE	No information available
Bulk Density VALUE	No information available

10. STABILITY AND REACTIVITY

Stability	Stable Store below 115°F
Incompatible products	Strong oxidizing agents Bleach
Conditions to Avoid	None known based on information supplied
Hazardous Decomposition Products	If burned, normal combustion products: Carbon dioxide, Carbon monoxide; Nitrous oxides.
Hazardous Polymerization	Hazardous polymerization does not occur

11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
2-Butoxyethanol	470 mg/kg (Rat)	220 mg/kg (Rabbit) 2270 mg/kg (Rat)	2.21 mg/L (Rat) 4 h 450 ppm (Rat) 4 h
Isopropyl alcohol	4396 mg/kg (Rat)	12800 mg/kg (Rat) 12870 mg/kg (Rabbit)	72.6 mg/L (Rat) 4 h

Chronic toxicity

Chemical Name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol	A3	Group 3		
Isopropyl alcohol		Group 1 Group 3		X

Target Organ Effects None known.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
2-Butoxyethanol		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50		1698 - 1940: 24 h Daphnia magna mg/L EC50 >1000: 48 h Daphnia magna mg/L EC50
Isopropyl alcohol	1000: 72 h Desmodesmus subspicatus mg/L EC50 1000: 96 h Desmodesmus subspicatus mg/L EC50	11130: 96 h Pimephales promelas mg/L LC50 static 9640: 96 h Pimephales promelas mg/L LC50 flow-through 1400000: 96 h Lepomis macrochirus µg/L LC50		13299: 48 h Daphnia magna mg/L EC50

Chemical Name	log Pow
2-Butoxyethanol	0.81
Isopropyl alcohol	0.05

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements

Contaminated packaging

Do not re-use empty containers

Chemical Name	California Hazardous Waste Status
Isopropyl alcohol	Toxic Ignitable

14. TRANSPORT INFORMATION

Note Cleaning Compound, Not Regulated

Dot Not regulated
Proper shipping name Cleaning Compound, Not Regulated

TDG Not regulated

MEX Not regulated

ICAO Not regulated

ICAO/IATA Not regulated

IMDG / IMO Not regulated

RID Not regulated

ADR/RID Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA	TSCA
DSL	Complies
NDSL	Complies
EINECS	Complies
ELINCS	-
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

SARA TITLE III (EPCRA) NOTIFICATION: ISOPROPYL ALCOHOL, GLYCOL ETHERS [Reportable under section 313 and section 6607 of the Pollution Prevention Act] COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT (CERCLA) NOTIFICATION: GLYCOL ETHERS For more information, consult 40 CFR parts 302, 355, 370, 372, and 40 CFR part 68.

SARA 311/312 Hazard Categories

Acute Health Hazard	no
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

International Regulations

Chemical Name	Carcinogen Status	Exposure Limits
2-Butoxyethanol		Mexico: TWA 26 ppm Mexico: TWA 120 mg/m ³ Mexico: STEL 75 ppm Mexico: STEL 360 mg/m ³
Isopropyl alcohol		Mexico: TWA 400 ppm Mexico: TWA 980 mg/m ³ Mexico: STEL 500 ppm Mexico: STEL 1225 mg/m ³

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

Chemical Name	NPRI
2-Butoxyethanol	X
Isopropyl alcohol	X

16. OTHER INFORMATION

Prepared By Swisher Hygiene Inc.
4725 Piedmont Row Drive
Suite 400
Charlotte, NC 28210

Issuing date 23-Sep-2011
Revision Date 19-Oct-2011
Revision Note No information available
Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

End of Material Safety Data Sheet