



Material Safety Data Sheet

Issuing date 11-Oct-2011

Revision Date 11-Oct-2011

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Swisher Gold Medalist Floor Finish

Product code 41772-5
Recommended Use Floor Finish

Distributor

Swisher Hygiene Inc.
4725 Piedmont Row Drive,
Suite 400,
Charlotte, NC 28210

Chemical Emergency Phone Number 800-424-9300 (Chemtrec)

Company Emergency Phone Number 800-444-4138

2. HAZARDS IDENTIFICATION

Emergency Overview

The product contains no substances which at their given concentration, are considered to be hazardous to health.

Appearance Thin Emulsion

Physical state liquid.

Odor Acrylic

Potential Health Effects

Acute toxicity

Eyes Irritating to eyes
Skin Contact may cause irritation and dryness.
Inhalation No known effect based on information supplied
Ingestion Ingesting large amounts may cause tissue damage.

Chronic Effects No known effect based on information supplied

Aggravated Medical Conditions None known.

Environmental hazard See Section 12 for additional Ecological Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight %
Dibutyl phthalate	84-74-2	<2

4. FIRST AID MEASURES

Eye contact	Flush with large amounts of cool running water for at least 15 minutes while holding upper and lower lids open. If irritation persists get medical attention immediately.
Skin contact	Wash with water after exposure.
Inhalation	Move to fresh air
Ingestion	Drink large amounts of water, DO NOT INDUCE VOMITING. Consult physician immediately for additional advice and treatment
Notes to physician	Treat symptomatically

5. FIRE-FIGHTING MEASURES

Flammable Properties	Not flammable			
Flash point	none			
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment			
Explosion Data				
Sensitivity to Mechanical Impact	none			
Sensitivity to Static Discharge	none			
Protective Equipment and Precautions for Firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear			
NFPA	Health Hazard 1	Flammability 0	Stability 0	Physical and chemical hazards -
HMIS	Health Hazard 1	Flammability 0	Physical Hazard 0	Personal protection -

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Ensure adequate ventilation
Environmental precautions	Try to prevent the material from entering drains or water courses
Methods for Containment	Transfer contaminated absorbent, soil and other materials to containers for disposal
Methods for cleaning up	Stop spill or leak if it can be done safely. Contain spill to smallest possible area. Large spills should be recovered for disposal.

7. HANDLING AND STORAGE

Advice on safe handling	KEEP OUT OF REACH OF CHILDREN Open containers slowly to relieve any pressure Empty containers may contain product residue. All safety precautions taken when handling this product should also be taken when handling empty drums and containers Keep container closed when not in use
Technical measures/Storage conditions	Store in a cool, dry area away from combustibles and reactive chemicals. Store away from sources of ignition. Do not store at temperatures above 120 ° F.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines	Review Section 3 & 4 for Exposure Guidelines.
----------------------------	---

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Dibutyl phthalate 84-74-2	TWA: 5 mg/m ³	TWA: 5 mg/m ³	IDLH: 4000 mg/m ³ TWA: 5 mg/m ³

Engineering Measures
 Showers
 Eyewash stations
 Ventilation systems

Personal Protective Equipment Institutional Environment

Eye/Face Protection Safety glasses are suggested when using this product in heavy use and institutional environments.
Consumer Environments Care should be taken to avoid Eye contact.
Skin and body protection Rubber gloves
Respiratory protection Unnecessary in open institutional enviroment.
Hygiene measures Practice good personal hygiene. Wash after handling.

Personal Protective Equipment Industrial Environment

Eye/Face Protection Splash-proof chemical goggles or face shield.
Skin and body protection Impervious rubber, alkali-proof protective gloves Impervious rubber boots & apron.
Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
Hygiene measures Practice good personal hygiene. Wash after handling. Shower at end of work period
 Practice good personal hygiene. Wash after handling

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state	liquid		
Appearance	Thin Emulsion	Odor	Acrylic
Color	Opaque White	Odor Threshold	No information available
Property	Values	Remarks	Methods
pH	8.0-8.8	No information available	
Melting/freezing point		No information available	
Freezing Point	32	Freezing point °F (°F) DEGREES	
No information available		Boiling point/boiling range	212 °F
No information available		Flash Point	
No information available		Evaporation rate	Same as water
No information available		Flammability (solid, gas)	
No information available		Flammability Limits in Air	
No information available		upper flammability limit	
		lower flammability limit	
		Explosion Limits	
		upper	
		lower	
		Vapor pressure	
No information available		Vapor density	
No information available		Specific Gravity	1.03-1.04
No information available		Water solubility	Dispersible

No information available

No information available

No information available

No information available

No information available

No information available

Explosive properties
Oxidizing Properties

No information available

No information available

Solubility in other solvents**Partition coefficient: n-octanol/water****Autoignition temperature****Decomposition temperature****Viscosity, kinematic****Viscosity, dynamic****9.2 Other information****Softening point**

No information available

Molecular Weight

No information available

VOC Content(%)

No information available

Density VALUE

No information available

Bulk Density VALUE

No information available

10. STABILITY AND REACTIVITY**Stability**

Stable

Incompatible products

Strong Oxidizers and Acids

Conditions to Avoid

Extreme Temperatures

Hazardous Decomposition Products None known based on information supplied**Hazardous Polymerization**

Hazardous polymerization does not occur

11. TOXICOLOGICAL INFORMATION**Acute toxicity****Product Information**

Product does not present an acute toxicity hazard based on known or supplied information.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Dibutyl phthalate	6300 mg/kg (Rat)	2000 mg/kg (Rabbit)	15.68 mg/L (Rat) 4 h

Chronic toxicity**Target Organ Effects**

None known.

12. ECOLOGICAL INFORMATION**Ecotoxicity**

The environmental impact of this product has not been fully investigated

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates

Dibutyl phthalate	0.4: 96 h Pseudokirchneriella subcapitata mg/L EC50 static 1.2: 72 h Desmodesmus subspicatus mg/L EC50	0.31 - 5.45: 96 h Pimephales promelas mg/L LC50 static 0.42 - 1.28: 96 h Lepomis macrochirus mg/L LC50 static 0.71 - 1.2: 96 h Pimephales promelas mg/L LC50 flow-through 1.24 - 5.3: 96 h Oncorhynchus mykiss mg/L LC50 static 1.38 - 1.74: 96 h Lepomis macrochirus mg/L LC50 flow-through 1.24: 96 h Oncorhynchus mykiss mg/L LC50 flow-through	EC50 = 10.9 mg/L 30 min EC50 = 10.9 mg/L 5 min EC50 = 11.1 mg/L 15 min EC50 = 2.2 mg/L 24 h	2.99: 48 h Daphnia magna mg/L EC50 Static 3.4: 48 h Daphnia magna mg/L EC50
-------------------	---	---	--	---

Chemical Name	log Pow
Dibutyl phthalate	5.38

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements

Contaminated packaging

Do not re-use empty containers

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Dibutyl phthalate - 84-74-2	U069	Included in waste stream: F039		U069

14. TRANSPORT INFORMATION

Note	Floor Polishing/Wax, Not regulated
Dot	Not regulated
Proper shipping name	Floor Polishing/Wax, Not regulated
TDG	Not regulated
MEX	Not regulated
ICAO	Not regulated
ICAO/IATA	Not regulated
IMDG / IMO	Not regulated
RID	Not regulated
ADR/RID	Not regulated
ADN	Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA	TSCA
DSL	Complies
NDSL	Complies
EINECS	Complies
ELINCS	-
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

This product contains one of the substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372. Diethylene Glycol Monomethyl Ether, CAS No.111-77-7

SARA 311/312 Hazard Categories

Acute Health Hazard	no
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Dibutyl phthalate	10 lb	X	X	X

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Dibutyl phthalate	10 lb		RQ 10 lb final RQ RQ 4.54 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

Chemical Name	California Prop. 65

Dibutyl phthalate	Developmental Female Reproductive Male Reproductive
-------------------	---

U.S. State Right-to-Know Regulations**International Regulations**

Chemical Name	Carcinogen Status	Exposure Limits
Dibutyl phthalate		Mexico: TWA 5 mg/m ³ Mexico: STEL 10 mg/m ³

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

Chemical Name	NPRI
Dibutyl phthalate	X

16. OTHER INFORMATION

Prepared By Swisher Hygiene Inc.
4725 Piedmont Row Drive
Suite 400
Charlotte, NC 28210

Issuing date 11-Oct-2011
Revision Date 11-Oct-2011
Revision Note No information available

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

End of Material Safety Data Sheet