



Material Safety Data Sheet

Issuing date 13-Oct-2011

Revision Date 28-Nov-2011

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Swisher Quarry Tile Cleaner

Product code 42092-1
UN/ID No UN3265

Recommended Use Quarry Tile Cleaner

Distributor

Swisher Hygiene Inc.
4725 Piedmont Row Drive,
Suite 400,
Charlotte, NC 28210

Chemical Emergency Phone Number 800-424-9300 (Chemtrec)

Company Emergency Phone Number 800-444-4138

2. HAZARDS IDENTIFICATION

Emergency Overview

May cause chemical burns to skin and eyes
Harmful if swallowed
Harmful if inhalation exposure limits are exceeded

Appearance Clear Liquid

Physical state liquid.

Odor Vinegar

Potential Health Effects

Acute toxicity

Eyes

Causes burns and may result in permanent injury to eyes including blindness.

Skin

Contact can cause chemical burns.

Inhalation

Irritating to mucous membranes

Ingestion

Can cause chemical burns of mouth, throat, stomach and mucous membranes.

Chronic Effects

Prolonged or repeated exposure to dilutions can cause drying, defatting and dermatitis.

Aggravated Medical Conditions

None known.

Environmental hazard

See Section 12 for additional Ecological Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight %
---------------	--------	----------

Dodecylbenzene sulfonic acid	27176-87-0	5-15
Acetic acid	64-19-7	1-5
Hydroxyacetic acid	79-14-1	7-20

4. FIRST AID MEASURES

Eye contact	Flush with flowing water for 15 minutes & see physician.
Skin contact	Flush with water. Remove contaminated clothing and do not re-wear until washed. If irritation persists, see a physician.
Inhalation	If irritation occurs leave area immediately. If irritation persists see a physician.
Ingestion	Drink large amounts of water, DO NOT INDUCE VOMITING. Consult physician immediately for additional advice and treatment
Notes to physician	Treat symptomatically

5. FIRE-FIGHTING MEASURES

Flammable Properties	Not flammable			
Flash point	N/A			
Suitable Extinguishing Media	Dry chemical, water mist, alcohol foam			
Explosion Data				
Sensitivity to Mechanical Impact	none			
Sensitivity to Static Discharge	none			
Protective Equipment and Precautions for Firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear			
NFPA	Health Hazard 0	Flammability 0	Stability 0	Physical and chemical hazards -
HMIS	Health Hazard 2	Flammability 0	Physical Hazard 0	Personal protection -

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Ensure adequate ventilation
Environmental precautions	Try to prevent the material from entering drains or water courses
Methods for Containment	Neutralize with sodium bicarbonate
Methods for cleaning up	Pick up and transfer to properly labeled containers

7. HANDLING AND STORAGE

Advice on safe handling	KEEP OUT OF REACH OF CHILDREN Wash hands before eating. Keep container tightly closed when not in use
Technical measures/Storage conditions	Store away from chlorine products.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines Review Section 3 & 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Acetic acid 64-19-7	STEL: 15 ppm TWA: 10 ppm	TWA: 10 ppm TWA: 25 mg/m ³	IDLH: 50 ppm TWA: 10 ppm TWA: 25 mg/m ³ STEL: 15 ppm STEL: 37 mg/m ³

Engineering Measures Showers
Eyewash stations
Ventilation systems

Personal Protective Equipment Institutional Environment

Eye/Face Protection Safety glasses are suggested when using this product in heavy use and institutional environments.
Consumer Environments Care should be taken to avoid Eye contact.
Skin and body protection Rubber gloves
Respiratory protection Unnecessary in open institutional enviroment.
Hygiene measures Practice good personal hygiene. Wash after handling.

Personal Protective Equipment Industrial Environment

Eye/Face Protection Splash-proof chemical goggles or face shield.
Skin and body protection Impervious rubber, alkali-proof protecective gloves Impervious rubber boots & apron.
Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
Hygiene measures Practice good personal hygiene. Wash after handling. Shower at end of work period
 Practice good personal hygiene. Wash after handling

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state	liquid	Odor	Vinegar
Appearance	Clear Liquid	Odor Threshold	No information available
Color	Slightly Yellow To Amber		

Property	Values	Remarks Methods
pH	< 3.0	No information available
Melting/freezing point		No information available
Freezing Point		No information available
Boiling point/boiling range	> 212 °F	No information available
Flash Point		No information available
Evaporation rate	< 1	No information available
Flammability (solid, gas)		No information available
Flammability Limits in Air		No information available
upper flammability limit		
lower flammability limit		
Explosion Limits		
upper		
lower		
Vapor pressure		No information available
Vapor density		No information available
Specific Gravity	1.060	No information available
Water solubility	N/A	No information available

Solubility in other solvents	No information available
Partition coefficient: n-octanol/water	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Viscosity, kinematic	No information available
Viscosity, dynamic	No information available
Explosive properties	No information available
Oxidizing Properties	No information available

9.2 Other information

Softening point	No information available
Molecular Weight	No information available
VOC Content(%)	No information available
Density VALUE	No information available
Bulk Density VALUE	No information available

10. STABILITY AND REACTIVITY

Stability	Stable
Incompatible products	Alkaline material, oxidizers, metals, chlorinated detergent.
Conditions to Avoid	Chlorinated products.
Hazardous Decomposition Products	Carbon oxides Nitrogen oxides (NOx) Sulfur oxides
Hazardous Polymerization	Hazardous polymerization does not occur

11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Product Information	Burns exposed mucous membranes
----------------------------	--------------------------------

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Dodecylbenzene sulfonic acid	500 mg/kg (Rat)		
Acetic acid	3310 mg/kg (Rat)	1060 mg/kg (Rabbit)	11.4 mg/L (Rat) 4 h
Hydroxyacetic acid	1950 mg/kg (Rat)		7.7 mg/L (Rat) 4 h

Chronic toxicity

Chronic toxicity	Prolonged or repeated exposure to dilutions can cause drying, defatting and dermatitis.
-------------------------	---

Target Organ Effects	None known.
-----------------------------	-------------

12. ECOLOGICAL INFORMATION**Ecotoxicity**

The environmental impact of this product has not been fully investigated

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates

Dodecylbenzene sulfonic acid	29: 96 h Pseudokirchneriella subcapitata mg/L EC50	3.5 - 10: 96 h Brachydanio rerio mg/L LC50 static 10.8: 96 h Oncorhynchus mykiss mg/L LC50 static		
Acetic acid		75: 96 h Lepomis macrochirus mg/L LC50 static 79: 96 h Pimephales promelas mg/L LC50 static	EC50 = 8.8 mg/L 15 min EC50 = 8.8 mg/L 25 min EC50 = 8.8 mg/L 5 min	47: 24 h Daphnia magna mg/L EC50 65: 48 h Daphnia magna mg/L EC50 Static
Hydroxyacetic acid		5000: 96 h Brachydanio rerio mg/L LC50 static		

Chemical Name	log Pow
Acetic acid	0

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements

Contaminated packaging

Do not re-use empty containers

Chemical Name	California Hazardous Waste Status
Acetic acid	Toxic Corrosive Ignitable

14. TRANSPORT INFORMATION

Note

UN3265, Corrosive liquid, acidic, organic, n.o.s. (acetic acid), 8, PG II

Dot

Regulated

Proper shipping name

UN3265, Corrosive liquid, acidic, organic, n.o.s. (acetic acid), 8, PG II

Hazard class

8

UN/ID No

UN3265

Packing Group

II

TDG

Not regulated

MEX

Not regulated

ICAO

Not regulated

ICAO/IATA

Not regulated

IMDG / IMO

Not regulated

RID

Not regulated

ADR/RID

Not regulated

ADN

Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA

TSCA

DSL	Complies
NDSL	Complies
EINECS	Complies
ELINCS	-
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	no
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Acetic acid	5000 lb			X

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Dodecylbenzene sulfonic acid	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ
Acetic acid	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations**International Regulations**

Chemical Name	Carcinogen Status	Exposure Limits
Acetic acid		Mexico: TWA 10 ppm Mexico: TWA 25 mg/m ³ Mexico: STEL 15 ppm Mexico: STEL 37 mg/m ³

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION

Prepared By	Swisher Hygiene Inc. 4725 Piedmont Row Drive Suite 400 Charlotte, NC 28210
Issuing date	13-Oct-2011
Revision Date	28-Nov-2011
Revision Note	No information available
Disclaimer	

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

End of Material Safety Data Sheet