



# Material Safety Data Sheet

Issuing date 04-Oct-2011

Revision Date 04-Oct-2011

Version 1

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product name** Swisher Select Glass and Hard Surface Cleaner

**Product code** 40225-1  
**Recommended Use** Glass and Hard Surface Cleaner

### **Distributor**

Swisher Hygiene Inc.  
4725 Piedmont Row Drive,  
Suite 400,  
Charlotte, NC 28210

**Chemical Emergency Phone Number** 800-424-9300 (Chemtrec)

**Company Emergency Phone Number** 800-444-4138

## 2. HAZARDS IDENTIFICATION

### **Emergency Overview**

The product contains no substances which at their given concentration, are considered to be hazardous to health.

**Appearance** Clear Thin Liquid      **Physical state** liquid.      **Odor** Pleasant

### **Potential Health Effects**

#### **Acute toxicity**

|                   |                         |
|-------------------|-------------------------|
| <b>Eyes</b>       | Irritation or burns     |
| <b>Skin</b>       | Irritation or burns     |
| <b>Inhalation</b> | Irritation or dizziness |
| <b>Ingestion</b>  | Dizziness, nausea       |

**Chronic Effects** No known effect based on information supplied

**Aggravated Medical Conditions** None known.

**Environmental hazard** See Section 12 for additional Ecological Information

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

| Chemical Name   | CAS-No   | Weight % |
|-----------------|----------|----------|
| 2-Butoxyethanol | 111-76-2 | <3       |
| Isopropanol     | 67-67-0  | <2       |

#### 4. FIRST AID MEASURES

|                           |   |
|---------------------------|---|
| <b>Eye contact</b>        | Flush with flowing water for 15 minutes & see physician.  |
| <b>Skin contact</b>       | Wash with soap & water for 15 minutes. See physician if irritation persists.  |
| <b>Inhalation</b>         | Remove to fresh air. If breathing has stopped, apply suitable artificial respiration. Get medical help.   |
| <b>Ingestion</b>          | Give milk or water to dilute material; DO NOT induce vomiting. Avoid alcohol. CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY; NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. |
| <b>Notes to physician</b> | Treat symptomatically   |

#### 5. FIRE-FIGHTING MEASURES

|  |  |                       |                          |  |
|--|--|-----------------------|--------------------------|--|
| <b>Flammable Properties</b>                                  | FLAMMABLE  |                       |                          |  |
| <b>Flash point</b>   | Flash point 160 °F   |                       |                          |  |
| <b>Suitable Extinguishing Media</b>                          | Water spray or fog, foam, dry chemical, carbon dioxide if product is involved.   |                       |                          |  |
| <b>Hazardous Combustion Products</b>                         | If burned, normal combustion products: Carbon dioxide, Carbon monoxide; Nitrous oxides.  |                       |                          |  |
| <b>Explosion Data</b>  |  |                       |                          |  |
| <b>Sensitivity to Mechanical Impact</b>                      | none   |                       |                          |  |
| <b>Sensitivity to Static Discharge</b>                       | none   |                       |                          |  |
| <b>Specific hazards arising from the chemical</b>            | Flammable. Keep away from heat, sparks and open flame. Use water spray to cool adjacent fire exposed containers.                                   |                       |                          |  |
| <b>Protective Equipment and Precautions for Firefighters</b> | Avoid exposure to fumes or vapors. Wear self-contained positive pressurized breathing apparatus MSHA/NIOSH approved or equivalent to maintain TLV. |                       |                          |  |
| <b>NFPA</b>  | <b>Health Hazard</b> 0   | <b>Flammability</b> 0 | <b>Stability</b> 0       | <b>Physical and chemical hazards -</b> |
| <b>HMIS</b>  | <b>Health Hazard</b> 2   | <b>Flammability</b> 3 | <b>Physical Hazard</b> 0 | <b>Personal protection</b> B           |

#### 6. ACCIDENTAL RELEASE MEASURES

|                                  |  |
|----------------------------------|--|
| <b>Personal precautions</b>      | Ensure adequate ventilation  |
| <b>Environmental precautions</b> | Try to prevent the material from entering drains or water courses                              |
| <b>Methods for Containment</b>   | Isolate from sources of ignition.  |
| <b>Methods for cleaning up</b>   | Mop up & flush to sewer with plenty of water. Floors may be slippery. Use care to avoid falls. |

#### 7. HANDLING AND STORAGE

|  |  |
|--|--|
| <b>Advice on safe handling</b>               | KEEP OUT OF REACH OF CHILDREN DANGER FLAMMABLE Do not get in eyes, on skin or on clothing Do not use or store near heat, sparks, or open flame |
| <b>Technical measures/Storage conditions</b> | Store upright in original closed container.  |

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Guidelines** Review Section 3 & 4 for Exposure Guidelines.

| Chemical Name               | ACGIH TLV   | OSHA PEL                                     | NIOSH IDLH  |
|-----------------------------|-------------|--|---|
| 2-Butoxyethanol<br>111-76-2 | TWA: 20 ppm | TWA: 50 ppm TWA: 240 mg/m <sup>3</sup><br>S* | IDLH: 700 ppm<br>TWA: 5 ppm TWA: 24 mg/m <sup>3</sup> |

**Engineering Measures** Showers  
Eyewash stations  
Ventilation systems

### Personal Protective Equipment Institutional Environment

**Eye/Face Protection** Safety glasses are suggested when using this product in heavy use and institutional environments.

**Consumer Environments** Care should be taken to avoid Eye contact.

**Skin and body protection** Rubber gloves

**Respiratory protection** Unnecessary in open institutional environment.

**Hygiene measures** Practice good personal hygiene. Wash after handling.

### Personal Protective Equipment Industrial Environment

**Eye/Face Protection** Splash-proof chemical goggles or face shield.

**Skin and body protection** Impervious rubber, alkali-proof protective gloves Impervious rubber boots & apron.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Hygiene measures** Practice good personal hygiene. Wash after handling. Shower at end of work period  
Practice good personal hygiene. Wash after handling

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

|                       |                   |                       |                          |
|-----------------------|-------------------|-----------------------|--------------------------|
| <b>Physical state</b> | liquid            | <b>Odor</b>           | Pleasant                 |
| <b>Appearance</b>     | Clear Thin Liquid | <b>Odor Threshold</b> | No information available |
| <b>Color</b>          | clear blue        |                       |                          |

| <u>Property</u>                     | <u>Values</u>       | <u>Remarks Methods</u>   |
|-------------------------------------|---------------------|--------------------------|
| <b>pH</b>                           | 9.5                 | No information available |
| <b>Melting/freezing point</b>       |                     | No information available |
| <b>Freezing Point</b>               |                     | No information available |
| <b>Boiling point/boiling range</b>  | 180 °F              | No information available |
| <b>Flash Point</b>                  | 160 °F              | No information available |
| <b>Evaporation rate</b>             | GT 1.00             | No information available |
| <b>Flammability (solid, gas)</b>    |                     | No information available |
| <b>Flammability Limits in Air</b>   |                     | No information available |
| upper flammability limit            |                     |                          |
| lower flammability limit            |                     |                          |
| <b>Explosion Limits</b>             |                     |                          |
| upper                               |                     |                          |
| lower                               |                     |                          |
| <b>Vapor pressure</b>               | 100                 | No information available |
| <b>Vapor density</b>                | 3                   | No information available |
| <b>Specific Gravity</b>             | 0.996               | No information available |
| <b>Water solubility</b>             | Completely soluble. | No information available |
| <b>Solubility in other solvents</b> |                     | No information available |

|  |                          |
|--|--------------------------|
| Partition coefficient: n-octanol/water | No information available |
| Autoignition temperature               | No information available |
| Decomposition temperature              | No information available |
| Viscosity, kinematic                   | No information available |
| Viscosity, dynamic                     | No information available |
| Explosive properties                   | No information available |
| Oxidizing Properties                   | No information available |

**9.2 Other information**

|                    |                          |
|--------------------|--------------------------|
| Softening point    | No information available |
| Molecular Weight   | No information available |
| VOC Content(%)     | No information available |
| Density VALUE      | 8.3                      |
| Bulk Density VALUE | No information available |

**10. STABILITY AND REACTIVITY**

|   |   |
|---|---|
| <b>Stability</b>                        | Stable. Store below 115 Degrees Fahrenheit.   |
| <b>Incompatible products</b>            | Strong oxidizing agents Bleach  |
| <b>Conditions to Avoid</b>              | None known based on information supplied  |
| <b>Hazardous Decomposition Products</b> | If burned, normal combustion products: Carbon dioxide, Carbon monoxide; Nitrous oxides. |
| <b>Hazardous Polymerization</b>         | Hazardous polymerization does not occur   |

**11. TOXICOLOGICAL INFORMATION****Acute toxicity**

**Product Information** Product does not present an acute toxicity hazard based on known or supplied information.

| Chemical Name   | LD50 Oral         | LD50 Dermal                             | LC50 Inhalation                           |
|-----------------|-------------------|---|---|
| 2-Butoxyethanol | 470 mg/kg ( Rat ) | 220 mg/kg ( Rabbit ) 2270 mg/kg ( Rat ) | 2.21 mg/L ( Rat ) 4 h 450 ppm ( Rat ) 4 h |

**Chronic toxicity**

| Chemical Name   | ACGIH | IARC    | NTP | OSHA |
|-----------------|-------|---------|-----|------|
| 2-Butoxyethanol | A3    | Group 3 |     |      |

**Target Organ Effects** None known.

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

The environmental impact of this product has not been fully investigated

| Chemical Name   | Toxicity to algae | Toxicity to fish   | Toxicity to microorganisms | Toxicity to daphnia and other aquatic invertebrates                           |
|-----------------|-------------------|--|----------------------------|---|
| 2-Butoxyethanol |                   | 1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50 |                            | 1698 - 1940: 24 h Daphnia magna mg/L EC50 >1000: 48 h Daphnia magna mg/L EC50 |

| Chemical Name   | log Pow |
|-----------------|---------|
| 2-Butoxyethanol | 0.81    |

### 13. DISPOSAL CONSIDERATIONS

|                               |  |
|-------------------------------|--|
| <b>Waste Disposal Methods</b> | This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements |
| <b>Contaminated packaging</b> | Do not re-use empty containers   |

### 14. TRANSPORT INFORMATION

|                             |                                  |
|-----------------------------|----------------------------------|
| <b>Note</b>                 | Cleaning Compound, Not Regulated |
| <b>Dot</b>                  | Not regulated                    |
| <b>Proper shipping name</b> | Cleaning Compound, Not Regulated |
| <b>Hazard class</b>         | Non-Hazardous                    |
| <b>TDG</b>                  | Not regulated                    |
| <b>MEX</b>                  | Not regulated                    |
| <b>ICAO</b>                 | Not regulated                    |
| <b>ICAO/IATA</b>            | Not regulated                    |
| <b>IMDG / IMO</b>           | Not regulated                    |
| <b>RID</b>                  | Not regulated                    |
| <b>ADR/RID</b>              | Not regulated                    |
| <b>ADN</b>                  | Not regulated                    |

### 15. REGULATORY INFORMATION

#### International Inventories

|               |          |
|---------------|----------|
| <b>TSCA</b>   | TSCA     |
| <b>DSL</b>    | -        |
| <b>NDSL</b>   | Complies |
| <b>EINECS</b> | -        |
| <b>ELINCS</b> | -        |
| <b>ENCS</b>   | -        |
| <b>IECSC</b>  | -        |
| <b>KECL</b>   | -        |
| <b>PICCS</b>  | -        |
| <b>AICS</b>   | -        |

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances  
 PICCS - Philippines Inventory of Chemicals and Chemical Substances  
 AICS - Australian Inventory of Chemical Substances

## U.S. Federal Regulations

### **SARA 313**

SARA TITLE III (EPCRA) NOTIFICATION: ISOPROPYL ALCOHOL, GLYCOL ETHERS [Reportable under section 313 and section 6607 of the Pollution Prevention Act] COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT (CERCLA) NOTIFICATION: GLYCOL ETHERS For more information, consult 40 CFR parts 302, 355, 370, 372, and 40 CFR part 68.

### **SARA 311/312 Hazard Categories**

|                                   |    |
|-----------------------------------|----|
| Acute Health Hazard               | no |
| Chronic Health Hazard             | no |
| Fire Hazard                       | no |
| Sudden Release of Pressure Hazard | no |
| Reactive Hazard                   | no |

### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

## U.S. State Regulations

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

## U.S. State Right-to-Know Regulations

## International Regulations

| Chemical Name   | Carcinogen Status | Exposure Limits  |
|-----------------|-------------------|--|
| 2-Butoxyethanol |                   | Mexico: TWA 26 ppm Mexico: TWA 120 mg/m <sup>3</sup><br>Mexico: STEL 75 ppm Mexico: STEL 360 mg/m <sup>3</sup> |

### **Canada**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

| Chemical Name   | NPRI |
|-----------------|------|
| 2-Butoxyethanol | X    |

**16. OTHER INFORMATION**

**Prepared By** Swisher Hygiene Inc.  
4725 Piedmont Row Drive  
Suite 400  
Charlotte, NC 28210

**Issuing date** 04-Oct-2011  
**Revision Date** 04-Oct-2011  
**Revision Note** No information available

**Disclaimer**

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

**End of Material Safety Data Sheet**