



# Material Safety Data Sheet

Issuing date 02-Sep-2011

Revision Date 25-Oct-2011

Version 1

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product name** Swisher Yellow  
**Product code** 40019-1  
**Reference number(s)** 40019-2.5/ 40019-55  
**Recommended Use** Odor Neutralizer

**Distributor**  
Swisher Hygiene Inc.  
4725 Piedmont Row Drive,  
Suite 400,  
Charlotte, NC 28210

**Chemical Emergency Phone Number** 800-424-9300 (Chemtrec)

**Company Emergency Phone Number** 800-444-4138

## 2. HAZARDS IDENTIFICATION

### Emergency Overview

The product contains no substances which at their given concentration, are considered to be hazardous to health.

**Appearance** Clear Thin Liquid      **Physical state** liquid.      **Odor** Pleasant

### Potential Health Effects

#### Acute toxicity

**Eyes** Irritating to eyes  
**Skin** Irritating to skin  
**Inhalation** No known effect based on information supplied  
**Ingestion** No known effect based on information supplied

**Chronic Effects** No known effect based on information supplied

**Aggravated Medical Conditions** None known.

**Environmental hazard** See Section 12 for additional Ecological Information

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight %
Isopropyl alcohol	67-63-0	<3

#### 4. FIRST AID MEASURES

<b>Eye contact</b>	Flush with flowing water for 15 minutes & see physician.
<b>Skin contact</b>	Wash with soap & water. See physician if irritation persists.
<b>Inhalation</b>	Move to fresh air
<b>Ingestion</b>	Give milk or water to dilute material; DO NOT induce vomiting. CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.
<b>Notes to physician</b>	Treat symptomatically

#### 5. FIRE-FIGHTING MEASURES

<b>Flammable Properties</b>	FLAMMABLE			
<b>Flash point</b>	130 °F			
<b>Suitable Extinguishing Media</b>	Water spray or fog, carbon dioxide if product is involved.			
<b>Hazardous Combustion Products</b>	If burned, normal combustion products: Carbon Dioxide and Carbon Monoxide.			
<b>Explosion Data</b>				
<b>Sensitivity to Mechanical Impact</b>	none			
<b>Sensitivity to Static Discharge</b>	none			
<b>Specific hazards arising from the chemical</b>	Combustible. Keep away from heat, sparks and open flame. Use water spray to cool adjacent fire exposed containers.			
<b>Protective Equipment and Precautions for Firefighters</b>	Avoid exposure to fumes or vapors. Wear self-contained positive pressurized breathing apparatus MSHA/NIOSH approved or equivalent to maintain TLV.			
<b>NFPA</b>	<b>Health Hazard</b> 0	<b>Flammability</b> 0	<b>Stability</b> 0	<b>Physical and chemical hazards -</b>
<b>HMIS</b>	<b>Health Hazard</b> 1	<b>Flammability</b> 1	<b>Physical Hazard</b> 0	<b>Personal protection</b> B

#### 6. ACCIDENTAL RELEASE MEASURES

<b>Personal precautions</b>	Ensure adequate ventilation
<b>Environmental precautions</b>	Try to prevent the material from entering drains or water courses
<b>Methods for Containment</b>	Prevent further leakage or spillage if safe to do so
<b>Methods for cleaning up</b>	Mop up & flush to sewer with plenty of water. Floors may be slippery. Use care to avoid falls.

#### 7. HANDLING AND STORAGE

<b>Advice on safe handling</b>	KEEP OUT OF REACH OF CHILDREN CAUTION Do not use or store near heat, sparks, or open flame
<b>Technical measures/Storage conditions</b>	Store upright in original closed container.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Guidelines** Review Section 3 & 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup>	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>

**Engineering Measures** Showers  
Eyewash stations  
Ventilation systems

### Personal Protective Equipment Institutional Environment

**Eye/Face Protection** Safety glasses are suggested when using this product in heavy use and institutional environments.

**Consumer Environments** Care should be taken to avoid Eye contact.

**Skin and body protection** Rubber gloves

**Respiratory protection** Unnecessary in open institutional environment.

**Hygiene measures** Practice good personal hygiene. Wash after handling.

### Personal Protective Equipment Industrial Environment

**Eye/Face Protection** Splash-proof chemical goggles or face shield.

**Skin and body protection** Impervious rubber, alkali-proof protective gloves Impervious rubber boots & apron.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Hygiene measures** Practice good personal hygiene. Wash after handling. Shower at end of work period  
Practice good personal hygiene. Wash after handling

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

<b>Physical state</b>	liquid	<b>Odor</b>	Pleasant
<b>Appearance</b>	Clear Thin Liquid	<b>Odor Threshold</b>	No information available
<b>Color</b>	clear Yellow		
<b>Property</b>	<b>Values</b>	<b>Remarks</b>	<b>Methods</b>
<b>pH</b>	9.0	No information available	
<b>Melting/freezing point</b>		No information available	
<b>Freezing Point</b>		No information available	
<b>Boiling point/boiling range</b>	212 °F	No information available	
<b>Flash Point</b>	130 °F	No information available	
<b>Evaporation rate</b>	1.0	No information available	
<b>Flammability (solid, gas)</b>		No information available	
<b>Flammability Limits in Air</b>		No information available	
upper flammability limit			
lower flammability limit			
<b>Explosion Limits</b>			
upper			
lower			
<b>Vapor pressure</b>	17	No information available	
<b>Vapor density</b>	0.62	No information available	
<b>Specific Gravity</b>	0.996	No information available	

<b>Water solubility</b>	completely soluble	No information available
<b>Solubility in other solvents</b>		No information available
<b>Partition coefficient: n-octanol/water</b>		No information available
<b>Autoignition temperature</b>		No information available
<b>Decomposition temperature</b>		No information available
<b>Viscosity, kinematic</b>		No information available
<b>Viscosity, dynamic</b>		No information available
<b>Explosive properties</b>	No information available	
<b>Oxidizing Properties</b>	No information available	

**9.2 Other information**

<b>Softening point</b>	No information available
<b>Molecular Weight</b>	No information available
<b>VOC Content(%)</b>	No information available
<b>Density VALUE</b>	8.3
<b>Bulk Density VALUE</b>	No information available

**10. STABILITY AND REACTIVITY**

<b>Stability</b>	Stable Store below 115°F
<b>Incompatible products</b>	Strong oxidizing agents and anionics
<b>Conditions to Avoid</b>	None known based on information supplied
<b>Hazardous Decomposition Products</b>	If burned, normal combustion products: Carbon Dioxide, Carbon Monoxide.
<b>Hazardous Polymerization</b>	Hazardous polymerization does not occur

**11. TOXICOLOGICAL INFORMATION****Acute toxicity**

**Product Information** Product does not present an acute toxicity hazard based on known or supplied information.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Isopropyl alcohol	4396 mg/kg ( Rat )	12800 mg/kg ( Rat ) 12870 mg/kg ( Rabbit )	72.6 mg/L ( Rat ) 4 h

**Chronic toxicity**

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol		Group 1 Group 3		X

**Target Organ Effects** None known.

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

The environmental impact of this product has not been fully investigated

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates

Isopropyl alcohol	1000: 72 h Desmodemus subspicatus mg/L EC50 1000: 96 h Desmodemus subspicatus mg/L EC50	11130: 96 h Pimephales promelas mg/L LC50 static 9640: 96 h Pimephales promelas mg/L LC50 flow-through 1400000: 96 h Lepomis macrochirus µg/L LC50	13299: 48 h Daphnia magna mg/L EC50
-------------------	--	--	-------------------------------------

Chemical Name	log Pow
Isopropyl alcohol	0.05

**13. DISPOSAL CONSIDERATIONS**

**Waste Disposal Methods**

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements

**Contaminated packaging**

Do not re-use empty containers

Chemical Name	California Hazardous Waste Status
Isopropyl alcohol	Toxic Ignitable

**14. TRANSPORT INFORMATION**

<b>Note</b>	Cleaning Compound, Not Regulated
<b>Dot</b>	Not regulated
<b>Proper shipping name</b>	Cleaning Compound, Not Regulated
<b>TDG</b>	Not regulated
<b>MEX</b>	Not regulated
<b>ICAO</b>	Not regulated
<b>ICAO/IATA</b>	Not regulated
<b>IMDG / IMO</b>	Not regulated
<b>RID</b>	Not regulated
<b>ADR/RID</b>	Not regulated
<b>ADN</b>	Not regulated

**15. REGULATORY INFORMATION**

**International Inventories**

TSCA	TSCA
DSL	Complies
NDSL	Complies
EINECS	Complies
ELINCS	-
ENCS	Complies
IECSC	Complies

<b>KECL</b>	Complies
<b>PICCS</b>	Complies
<b>AICS</b>	Complies

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

### U.S. Federal Regulations

#### **SARA 313**

SARA TITLE III (EPCRA) NOTIFICATION: ISOPROPYL ALCOHOL [Reportable under section 313 and section 6607 of the Pollution Prevention Act]

COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT (CERCLA) NOTIFICATION: This does not contain chemicals subject to reporting under CERCLA For more information, consult 40 CFR parts 302, 355, 370, 372, and 40 CFR part 68.

#### **SARA 311/312 Hazard Categories**

<b>Acute Health Hazard</b>	no
<b>Chronic Health Hazard</b>	no
<b>Fire Hazard</b>	no
<b>Sudden Release of Pressure Hazard</b>	no
<b>Reactive Hazard</b>	no

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### U.S. State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

### International Regulations

Chemical Name	Carcinogen Status	Exposure Limits
Isopropyl alcohol		Mexico: TWA 400 ppm Mexico: TWA 980 mg/m <sup>3</sup> Mexico: STEL 500 ppm Mexico: STEL 1225 mg/m <sup>3</sup>

#### **Canada**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

Chemical Name	NPRI
Isopropyl alcohol	X

## 16. OTHER INFORMATION

**Prepared By** Swisher Hygiene Inc.  
4725 Piedmont Row Drive  
Suite 400  
Charlotte, NC 28210

**Issuing date** 02-Sep-2011  
**Revision Date** 25-Oct-2011  
**Revision Note** No information available  
**Disclaimer**

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

**End of Material Safety Data Sheet**